

APPENDIX 1: FINAL RECOMMENDATIONS OF THE HEARING PANEL TO THE MINISTER AS TO THE TEXT OF THE TPLM VARIATION

The TPLM Variation as recommended by the Hearing Panel. It has been prepared to fulfil the requirements of Schedule 1 Clause 83(1)(a) of the RMA. The Structure Plan, Building Heights Plan and Building Heights Plan (Glenpanel Homestead) to be included in Rules 49.8 and 27.13.19 are attached in **Appendix 10**. **Appendix 10** also includes the Zoning Plan which, in accordance with the Council's comments on submitters' suggested amendments, is to be added to the PDP Zoning Maps.

49 Te Pūtahi Ladies Mile Zone

49.1 Zone Purpose

The purpose of the Zone is to ensure the most efficient practicable use of land for the provision of housing and supporting schools, community, and commercial facilities. This will occur in a manner that uses a structure plan-led approach to achieve an integrated, well-functioning, and more self-sustaining urban community along the Eastern Corridor generally between the Shotover River and Lake Hayes.

South of State Highway 6 new development will be predominantly for lower density residential activities along with one small area of Local Shopping Centre zone. This reflects how much of that area has already been developed and how the remnants can be best managed to contribute to the purpose of the Zone.

North of State Highway 6 development will change the existing character of the area significantly. It will create an at least medium-density residential neighbourhood with an emphasis on affordable, (at higher densities than suburban) housing choices. It will have a very built, urban character. Provision for a mix of compatible non-residential activities and, over time, passenger transport services, will allow this area to support much lower rates of private-vehicle-based travel and related emissions than is typical in the District. Because of these factors, living in this part of the Zone will look and feel very different to many existing settlements across the District.

For both the south and north sides of State Highway 6, and subject to the provision of transportation, environmental and other supporting infrastructure over time, the maximisation of housing provision and density is the overriding resource management priority.

The planning framework is informed by the key Kāi Tahu values including whanaukataka, haere whakamua and mauri of water. These values support family and community focused development (whanaukataka) which contributes to whānau whakaruruhau, the practice of sheltering and protecting. The values also support future focused sustainable development that recognises the needs of future generations (haere whakamua), and development that recognises the life force in land, water and the natural environment (mauri).

The Structure Plan guides subdivision and development within the Zone and sets out key roading connections, stormwater swales, well connected and legible walking and cycling routes, and an open space network for recreation and of ecological values.

Access to State Highway 6 is limited to key points, for safety and efficiency of the highway, and the access links with the south side of the highway promotes integration with the nearby established residential communities. The provision of key transport infrastructural works, including public transport infrastructure, some of which shall occur prior to occupation of development, and provision of a new high school, are key to avoiding adverse effects from increased private vehicle trips on State Highway 6 through shifts to other transport modes. Private vehicle is expected, particularly over time, to decrease substantially in favour of alternative travel modes.

Appropriate management of stormwater is a key consideration in developing Te Pūtahi Ladies Mile Zone. This must include stormwater management solutions that comply with the Structure Plan and are integrated across the Zone, that mimic the natural water cycle, and that give effect to Te Mana o te Wai. These solutions must include attenuation and treatment and avoid discharges (other than overland flow in extreme weather events) to Waiwhakaata Lake Hayes and avoid adverse effects of discharges to Kimiākau/Shotover River or the Kawarau River.

To achieve the Zone purpose, the Zone provides for a range of residential densities and land use activities across six Precincts identified on the Planning Maps. The purpose of each Precinct is:

- The Low Density Residential Precinct, on the south side of State Highway 6 and to the west of Lower Shotover Road, supports integration with the adjoining lower density residential zones and communities, including of Shotover Country, Lake Hayes Estate and the Queenstown Country Club, while acknowledging the transport limitations and also enabling limited opportunity for higher density development at the western end of the zone where an opportunity for that still remains;

- The Medium Density Residential Precinct provides for a range of higher densities than suburban housing typologies including terrace, semi-detached, duplex, and townhouses on the north side of State Highway 6, to a density of at least 40 units per hectare (net), within walking distance to facilities;
- The High Density Residential Precinct provides the potential for, in addition to the opportunities provided in the Medium Density Residential Precinct, multi-unit accommodation, to a density of at least 450 units per hectare (net), in locations close to areas of public open space, future transportation links, and facilities;
- The Commercial Precinct is centrally located within the Zone and provides a focal point for commercial activities and amenities to serve the day-to-day needs of the Eastern Corridor communities while not undermining the role of the commercial areas at Frankton or the Queenstown Town Centre;
- The Glenpanel Precinct provides for commercial activities and community activities where these are compatible with the heritage values of the Glenpanel Homestead and supports open space and a sense of community; and
- The Open Space Precinct covers the Council-owned land on the south side of State Highway 6 and provides for community activities centred around a sports hub.
- In addition to the above Precincts, two areas of Local Shopping Centre zone have been provided. In these Precincts, development and subdivision resource consents will also be subject to the relevant TPLM zone policies so as to retain an integrated management approach.
- The above statements do not limit proposals for community, education or recreation activities in any precinct.

49.2 Objectives and policies

49.2.1 Objective – Development complements and integrates with adjoining zoning and urban development at Te Pūtahi Ladies Mile and development south of State Highway 6.

Policies

49.2.1.1 Require that development is in accordance (or, for some items, in general accordance) with the Structure Plan to ensure the integrated, efficient and co-ordinated location of activities, primary roading, key intersections, open spaces, green networks, and walkway / cycleway routes.

49.2.2 Objective – Development achieves a range of higher than suburban residential intensity and diversity of housing choice to promote affordable homes, a self-sustaining community, and efficient use of urban land.

Policies

49.2.2.1 Within the Medium and High Density Residential Precincts:

- a. Promote affordability and diversity of higher density than suburban housing by encouraging a range of residential typologies, unit sizes and bedroom numbers.
- b. Avoiding residential development that does not achieve the minimum residential density required in each Precinct, and avoiding low density housing typologies including single detached residential units.

49.2.2.2 Within the High Density Residential Precinct, enable high-quality, high-density residential units that include terraced housing, multi-storey townhouses and apartment living typologies, set within attractive landscaped sites, along with key parks and open spaces, and public transport routes.

49.2.2.3 Within the Medium Density Residential Precinct, require residential development to achieve a density, including by multi-storey townhouses, semi-detached, duplexes and similar typologies, that is distinct from the adjoining lower and medium densities available in the developments south of the State Highway and west of Lower Shotover Road (areas within the Low Density Precinct) and the higher density available in other areas within the Zone.

49.2.2.4 Within the Low Density Residential Precinct, manage the total number of residential units provided for within the Zone to maximise density while maintaining the general suburban character and amenity values of the area south of State Highway 6 and of the area west of Lower Shotover Road while avoiding significantly increasing vehicle trips and adverse effects on the safe and efficient operation of State Highway 6.

49.2.2.5 When considering resource consent applications for development that infringes the Zone standards in the residential precincts, prioritise the achievement of housing density, (at higher densities than suburban) choice, and affordability and then support this by prioritising key environmental and ecological outcomes, and then achievement of high-amenity, high-quality outcomes for and along streets, open spaces, and private ways having the function of a road.

49.2.3 Objective – The Commercial Precinct is compact, convenient and accessible for meeting the needs of local residents

Policies

49.2.3.1 Provide for a range of office and small-scale retail, and other commercial activities that meet the needs of local residents, including one supermarket and one service station.

49.2.3.2 Avoid the establishment of business activities that would undermine the function, amenity, and role of Queenstown or Frankton centres, or the intended outcomes for the Commercial Precinct, including Industrial, Service, Large Format Retail activities and large office spaces.

49.2.3.3 Enable residential activities above ground level while acknowledging that there will be a lower level of residential amenity available due to the mix of activities in the Commercial Precinct.

- 49.2.3.4 Enable high-density development to provide for an intensity to accommodate the Precinct's core range of activities while maximising the land area available for surrounding residential development and public spaces.
- 49.2.3.5 Require higher floor to ceiling heights at ground floor level in buildings to provide for flexible use for a range of activities.
- 49.2.3.6 Require acoustic insulation for Critical Listening Environments to limit the impact of town centre noise on occupants.

49.2.4 Objective – The Glenpanel Precinct provides for non-residential activities that complement the role of the Commercial Precinct with development which responds to the character of the area.

Policies

- 49.2.4.1 Enable small-scale commercial and community activities to serve the day-to-day needs of the local community.
- 49.2.4.2 Require development within the Glenpanel Precinct to protect the historic heritage values of the Glenpanel Homestead and its setting (the setting includes the established Homestead grounds).
- 49.2.4.2A Enabling additional building height provided such intensification maintains and complements the heritage and character attributes of the Glenpanel Homestead and gardens.

49.2.5 Objective – A range of compatible activities are provided for within the Zone.

Policies

- 49.2.5.1 Enable education activities throughout the Zone and ensure that any potential significant adverse effects of the education activities, including buildings, on neighbourhood amenity are minimised by:
 - a. promoting a high standard of building and site design including the location of open space and setbacks;
 - b. the efficient provision and design of vehicle access and carparking.
- 49.2.5.2 Limit commercial activities in the residential precincts to a scale that maintains the primacy of the Commercial Precinct for these activities, supports the social and economic well-being of the local community, and avoids or mitigates adverse effects on residential amenity.
- 49.2.5.3 Provide for community activities in the Zone where these support the health and safety and the social and economic well-being of the local community and adverse effects on the residential precincts are minimised.
- 49.2.5.4 Provide two small areas of Local Shopping Centre Zone that can contribute to the overall efficiency of the Zone without undermining the role of the Commercial Precinct as the principal retail and commercial focal point within the Zone. Require these to also be subject to the relevant parts of the Te Pūtahi Ladies Mile Zone policy framework to ensure integrated outcomes.
- 49.2.5.5 Avoid Visitor Accommodation in all residential precincts, and avoid Residential Visitor Accommodation in the Low and Medium Density residential precincts, consistent with the role of the Zone in providing for the needs of local residents.
- 49.2.5.5A Provide for limited Residential Visitor Accommodation in the High Density Residential Precinct, consistent with enhancing market attractiveness of and affordability within high density residential developments.
- 49.2.5.5B Provide for Visitor Accommodation within the Commercial Precinct and the Glenpanel Precinct provided that this activity is consistent with the objectives and policies for those Precincts, and also the Local Shopping Centre zones as provided for in Chapter 15 of the District Plan.

49.2.6 Objective – Manage the generation of additional private vehicle trips along State Highway 6, and reduce, as far as practicable, car dependence and private vehicle trips along State Highway 6 generated by the adjoining residential areas at Ladies Mile by promoting travel mode shift,

including by providing for a range of activities to serve residents of the Eastern Corridor and the wider Wakatipu Basin; integrating the TPLM Zone with the existing Eastern Corridor communities through roading and active travel links; providing for efficient and convenient public transport and active transport; and requiring at least medium and high residential densities north of State Highway 6 sufficient to support public transport and the commercial and social amenities within the Zone.

Policies

- 49.2.6.1 Provide for a range of activities to serve residents of the Zone and residents within adjoining Ladies Mile residential areas (including areas on the south side of State Highway 6 and Threepwood) that reduce the need for travel along State Highway 6, including:
- Educational facilities including a development threshold relating to operation of a high school within the Zone;
 - A variety of commercial activities to provide for the day-to-day needs of the Ladies Mile communities;
 - Recreational and open space areas; and
 - Other community facilities including sportsgrounds and buildings for community uses.
- 49.2.6.2 Require the integration of the Zone with the adjoining residential areas at Ladies Mile and State Highway 6 by:
- Strategically locating intersections at key points on State Highway 6 and Lower Shotover Road;
 - Ensuring collector road widths and configurations are consistent with their efficient utilisation as bus routes; and
 - Providing for new road connections that enable access to bus services.
- 49.2.6.3 Provide for efficient and effective public transport through:
- Requiring a minimum residential density within the Medium Density Residential and High Density Residential Precincts in the Zone north of State Highway 6;
 - Ensuring collector road widths and configurations are consistent with their efficient utilisation as bus routes;
 - Limiting onsite carparking via maximum rates for office, retail, and education activities; and
 - Managing on-street parking.
- 49.2.6.4 Encourage the use of pedestrian and cycling modes by:
- Requiring high-quality, well connected, integrated and legible walking and cycling routes within the zone and linking them to existing routes outside the Zone on both sides of the State Highway and ensure that adjacent development positively contributes to the amenity of these routes; and
 - Requiring minimum cycle parking to be provided onsite for commercial, educational and residential activities.
- 49.2.6.5 Avoid development (meaning a building for which a Code Compliance Certificate has been issued by the Council) where specified transport infrastructural works have not been completed.
- 49.2.6.6 Require Workplace and School Travel Plans that will demonstrate how private vehicle trips will be reduced and to promote greater reliance on public and active transport.
- 49.2.7 Objective – A built environment that positively responds to streets and open spaces, provides a high level of residential and neighbourhood amenity, achieves high quality urban design and ecological outcomes, and incorporates indigenous biodiversity in design.**

Policies

In all Precincts

- 49.2.7.1 Building design integrates with public spaces and provides for a pedestrian priority environment including active frontages along streets and private ways having the function of a road, including by way of managing how and where on-site car parking spaces are provided along frontages.
- 49.2.7.2 Minimise opportunities for criminal or antisocial activity through incorporating Crime Prevention Through Environmental Design (CPTED) principles in the design of building layout, public and semi-public spaces, and landscaping.
- 49.2.7.3 Acknowledge and celebrate the area's cultural heritage, including incorporating indigenous vegetation, biodiversity and reference to Manawhenua values, in the design of public and private spaces.
- 49.2.7.4 Ensure that the location and direction of lights does not cause significant glare to other sites, roads, and public places and promote lighting design that mitigates adverse effects on views of the night sky.
- 49.2.7.5 Ensure that outdoor storage areas and any carparking areas are appropriately located or screened to limit adverse visual effects and to be consistent with the amenity values of the Zone or those of any adjacent zone.
- 49.2.7.6 Require all new buildings, relocated buildings and additions and alterations to existing buildings that contain an Activity Sensitive to Road Noise located adjacent to a State Highway to be designed to maintain internal residential amenity values and, in particular provide protection to sleeping occupants from road noise.
- 49.2.7.7 Encourage accessibility through universal design of spaces, to enable ease of use by all potential users.
- 49.2.7.8 In the Low Density Residential Precinct, ensure that the height, bulk and location of development maintains the amenity values enjoyed by users of neighbouring properties, in particular, privacy and access to sunlight.

All Precincts north of State Highway 6

- 49.2.7.9 Require high-quality building and site design that promotes and supports neighbourhood amenity values, reflects the highly visible location close to the state highway.
- 49.2.7.10 In the Medium and High Density Residential Precincts and the Commercial Precinct, require that development achieve the following essential built form outcomes (and ensure that land subdivision sufficiently provides for these):
- a. high levels of visual interest and avoiding blank or unarticulated walls or facades;
 - b. well-overlooked, and visually interesting streets and public open space edges, including by limiting garaging, parking or vehicle crossings along frontages;
 - c. incorporating variation and modulation of building mass, facades, materials and roof forms;
 - d. incorporating well-designed landscaped areas and frontages to add to the visual amenity values of the development for residents or visitors, neighbours, and the wider public.

Medium and High Density Residential Precincts

- 49.2.7.11 Apply recession plane, building height, yard setback and site coverage controls as the primary means of signalling appropriate levels of outlook, spaciousness, and daylight access, and encourage resource consent applications that can achieve better outcomes for these matters in the Zone.
- 49.2.7.12 Ensure built form achieves reasonable levels of privacy for occupants of the subject site and neighbouring residential sites and units, including through the use of building setbacks, offsetting windows from one another, screening, or other means.

49.2.7.13 Require a high level of landscape amenity which:

- a. uses indigenous planting to increase ecological and biodiversity values, preferring vegetation that naturally occurs and/or previously occurred in the area; and
- b. uses exotic planting to maintain local character where appropriate.

49.2.8 Objective – Development that supports resilience to, and mitigation of, the current and future effects of climate change and contributes to an integrated approach to stormwater management.

Policies

49.2.8.1 Encourage site layout and building design that promote environmental efficiencies and performance, including design that conserves energy, reduces waste and reduces emissions.

49.2.8.2 Require a minimum level of permeable surface on a site for stormwater management and landscape amenity.

49.3 Other Provisions and Rules

49.3.1 District Wide

Attention is drawn to the following District Wide chapters.

1. Introduction	2. Definitions	3. Strategic Direction
4. Urban Development	5. Tangata Whenua	15. Local Shopping Centre
25. Earthworks	26. Historic Heritage	27. Subdivision
28. Natural hazards	29. Transport	30. Energy and Utilities
31. Signs	32. Protected Trees	33. Indigenous Vegetation and Biodiversity
34. Wilding Exotic Trees	35. Temporary Activities and Relocatable Buildings	36. Noise
37. Designations	38. Open Space and Recreation	39. Wahi Tupuna
Planning Maps		

49.3.2 Interpreting and Applying the Rules

49.3.2.1 A permitted activity must comply with all rules listed in the Activity and Standards tables, and any relevant district wide rules.

49.3.2.2 Where an activity does not comply with a standard listed in the standards tables, the activity status identified by the "Non-Compliance Status" column shall apply. Where an activity breaches more than one standard, the most restrictive status shall apply to the activity.

49.3.2.3 Within the Open Space Precinct, all provisions of Chapter 38 (Open Space and Recreation) relating to the Community Purposes Zone apply with the exception of the rules in Table 49.4 below.

49.3.2.4 Within the Local Shopping Centre zone areas, the provisions of Chapter 15 apply, with new Rule 15.4.16 PR status added for petrol stations, see Chapter 15.

49.3.2.5 The following abbreviations are used within this chapter:

P	Permitted	C	Controlled
RD	Restricted Discretionary	D	Discretionary
NC	Non Complying	PR	Prohibited

49.4 Rules - Activities

49.4.0.1 Notwithstanding the restrictions of discretion specifically listed for individual activities in the table below, all activities identified as RD shall be subject to the following additional general restrictions of discretion:

- (a) The maximisation of residential density, affordability, and (at higher densities than suburban) choice in the residential precincts, and above the ground floor level in the Commercial Precinct and Glenpanel Precinct.
- (b) Provision of positive effects including environmental benefits and the performance of infrastructure in all Precincts.
- (c) Maximisation of pedestrian-priority, high-amenity, and active frontages along streets, open spaces, and private ways having the function of a road in all Precincts, including the Open Space Precinct when or if buildings are proposed.

	Activities located in the Te Pūtahi Ladies Mile Zone excluding activities within the Local Shopping Centre zone areas, which are subject to chapter 15 of the District Plan	Activity Status
	Residential Activities	
49.4.1	Residential Activity on the ground floor within the Commercial Precinct, the ground floor within the Glenpanel Precinct with the exception of foyer and stairway spaces at ground level to facilitate access to upper levels.	NC
49.4.1A	Residential Activity not otherwise listed	P
49.4.1AA	Residential Activity in the Open Space Precinct	NC
49.4.2	Homestay	P
49.4.3	Home occupation	P

	Activities located in the Te Pūtahi Ladies Mile Zone	Activity Status
49.4.4	<p>Residential units in the Medium Density Residential Precinct and High Density Residential Precinct.</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. location, external appearance, site layout and design of buildings; b. promotion of sustainability and accessibility, either through construction methods, design or function; c. parking and access layout: safety, efficiency and impacts on on-street parking and travel management; d. design and integration of landscaping, including existing vegetation; e. The spatial layout of the development, and its integration with other sites and development, taking into account the location of: <ol style="list-style-type: none"> i. Roads, walkways and cycleways throughout the Sub-Area including Indicative Roads as shown on the Structure Plan and where these will connect to adjoining sites and (where relevant) neighbouring Sub-Areas and (where relevant) State Highway 6, including intersection layout and design; ii. Open spaces, and their intended function(s), including those open spaces required by the Structure Plan, Indicative Parks as shown on the Structure Plan, and any additional open spaces necessary to serve the future needs of the site and the wider Sub-Area; iii. Three waters infrastructure, including the retention and treatment of stormwater, and integration with the stormwater system within the Zone. f. within Sub-Areas B and C, the impact of development on existing established trees identified on the Structure Plan; g. within Sub-Areas A and K1, K2 and K3 the establishment of the "Landscape Buffer Area" shown on the Structure Plan, and the methods to ensure it is maintained in perpetuity; h. The information requirements for stormwater management specified by Rule 27.7.28.1 <p>Note: This Rule needs to be read with Rule 49.5.16.</p>	RD
49.4.4A	<p>More than 1,100 consented residential units in total within the Zone and including the Local Shopping Centre zones within the Te Pūtahi Ladies Mile Structure Plan area, prior to the operation of a high school within the Zone.</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. Alternative high school facilities being provided close to the Zone that are capable of providing convenient access for students without them having to cross the Shotover River. b. Demonstration that provision of a high school cannot occur or will not be possible within the Zone. c. High school facilities having been committed to or designated (if public), but not operational at the time the additional residential units are proposed. 	RD

	Activities located in the Te Pūtahi Ladies Mile Zone	Activity Status
49.4.5	Residential Visitor Accommodation in the Low Density Residential (except as provided for in Sub-Area H2 in Rule 49.5.14A below), Medium Density Residential, Commercial Centre, Glenpanel and Open Space Precincts.	NC
49.4.5A	Residential Visitor Accommodation in the High Density Residential Precinct and Sub-Area H2 of the Lower Density Residential Precinct as provided in Rule 49.5.14A.	P
49.4.6	Deliberately blank	
49.4.7	Retirement Villages	D
	Non-residential activities	
49.4.8	Commercial Activities comprising no more than 100m ² of gross floor area per site in the High Density Residential Precinct	P
49.4.9	Office Activity in the Commercial Precinct	P
49.4.10	Education Activities in the Commercial Precinct	P
49.4.11	Retail activity in the Commercial Precinct and Glenpanel Precinct, except where provided for elsewhere in this table	P
49.4.12	Community Activities in the Commercial Precinct and Glenpanel Precinct	P
49.4.13	Commercial Activity in the Commercial Precinct, except where provided for elsewhere in this table	P
49.4.14	One Large Format Retail tenancy retailing grocery products within the Commercial Precinct	P
49.4.15	<p>Licensed Premises in the Glenpanel Precinct and the Commercial Precinct.</p> <p>Premises licensed for the consumption of alcohol on the premises between the hours of 11pm and 8am, provided that this rule shall not apply to the sale of liquor:</p> <ol style="list-style-type: none"> a. to any person who is residing (permanently or temporarily) on the premises; and/or b. to any person who is present on the premises for the purpose of dining up until 12am. <p>Control is reserved to:</p> <ol style="list-style-type: none"> a. the scale of the activity; b. effects on amenity (including that of adjacent residential precincts and reserves); c. noise and hours of operation. 	C
49.4.16	<p>Commercial Activities comprising no more than 100m² of gross floor area per site in the Low Density Suburban Residential Precinct or the Medium Density Residential Precinct.</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. benefits of the commercial activity in servicing the day-to-day needs of local residents; b. hours of operation; c. parking, traffic and access; 	RD

	Activities located in the Te Pūtahi Ladies Mile Zone	Activity Status
	<ul style="list-style-type: none"> d. noise; and e. any cumulative effects of commercial activities across multiple sites on the primary and viability of the Commercial Precinct or the Local Shopping Centre Zones within the Structure Plan (49.8.19). 	
49.4.17	<p>Education Activities within the Low, Medium or High Density Precincts and within the Open Space Precinct for Ministry of Education (or equivalent) operations only.</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Traffic generation, access and parking; b. Provision for walkways, cycleways and pedestrian linkages; c. Infrastructure and servicing; and d. Noise effects. 	RD
49.4.18	<p>Buildings for non-residential activities</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Scale, design and external appearance; b. Signage platforms; c. Lighting; d. how the design promotes sustainability and accessibility, either through site, construction methods, design or function; e. In the Commercial Precinct, the opportunity to establish an anchor building on the with State Highway 6, and otherwise create a high-quality built form interface along the State Highway 6 frontage. f. Parking and access layout: safety, sufficiency for emergency access, efficiency and impacts on on-street parking and travel management; g. Design and integration of landscaping, including existing vegetation; h. The spatial layout of the development, and its integration with other sites and development, taking into account the location of: <ul style="list-style-type: none"> i. Roads, walkways and cycleways throughout the Sub-Area including Indicative Roads as shown on the Structure Plan and where these will connect to adjoining sites and (where relevant) neighbouring Sub- Areas and (where relevant) State Highway 6, including intersection layout and design; ii. Open spaces, and their intended function(s), including those open spaces required by the Structure Plan, Indicative Parks as shown on the Structure Plan, and any additional open spaces necessary to serve the future needs of the site and the wider Sub-Area; iii. Three waters infrastructure, including the retention and treatment of stormwater, and integration with the stormwater system within the Zone. i. The information requirements for stormwater management specified by Rule 27.7.28.1 	RD
49.4.20	Commercial Recreation	D
49.4.21	Community Activities not otherwise listed	D
49.4.22	Activities not otherwise listed	NC

	Activities located in the Te Pūtahi Ladies Mile Zone	Activity Status
49.4.23	Restaurants with drive-through facilities	NC
49.4.24	Large Format Retail tenancy other than as provided for under Rule 49.4.14.	NC
49.4.25	Buildings within the Building Restriction Area on the Structure Plan	NC
49.4.26	Service Activity	NC
49.4.27	Industrial Activity	NC
49.4.28	Panel beating, spray painting, motor vehicle repair or dismantling, fibre glassing, sheet metal work, bottle or scrap storage, motor body building	NC
49.4.29	Bulk material storage (except temporary storage during construction of subdivision or buildings)	NC
49.4.30	Factory farming	NC
49.4.31	Fish or meat processing (excluding that which is ancillary to a retail premises)	NC
49.4.32	Forestry	NC
49.4.33	Visitor Accommodation a. in the Glenpanel Precinct; and b. in the Commercial Precinct (above ground floor only)	D
49.4.34	Mining	PR
49.4.35	Airports	PR
49.4.36	Any activity requiring an Offensive Trade Licence under the Health Act 1956	PR
49.4.37	Cemeteries and Crematoria	PR
49.4.38	Service Stations not otherwise listed	PR
49.4.38A	One Service Stations in the Commercial Precinct	PNC
49.4.38B	Commercial storage facilities (including outdoor storage and buildings for the storage of commercial and residential goods) within the Storage Overlay shown on the Structure Plan. Control is reserved to: a. hours of operation; b. parking, traffic and access; c. noise; d. external visual appearance and form and scale of buildings and outdoor storage areas; e. fencing; f. building and landscape frontage, and activation to streets and public spaces g. landscaping; h. lighting.	C
49.4.38C	Any built development on the southern escarpment of Sub-Area H2 or on an escarpment within Sub Areas K2 and K3 as shown on the Structure Plan, excluding the local road shown on the Structure Plan.	NC

	Activities located in the Te Pūtahi Ladies Mile Zone	Activity Status
49.4.38D	New buildings within the area marked A on the Building Heights Plan for the Glenpanel Precinct	NC
49.4.39	<p>Building Restriction Areas adjoining State Highway 6</p> <p>In any precinct adjoining State Highway 6, within the Building Restriction Area over the land within 10m from the State Highway 6 northern boundary, and over the land within 25m from the State Highway 6 southern boundary, the establishment of continuous, non-vehicular public access corridors.</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> Integration and coordination across sites to achieve continuous, safe, and comfortable pedestrian and cycle facilities for use by the general public (including safety between pedestrians and cyclists); Integration with and access to adjacent development, roads or private ways having the function of a road, or State Highway crossing points; Whether any existing facilities have already been provided on the south side of State Highway 6 that sufficiently provide pedestrian and/or cycle access; A variety of vegetative species and trees that complement but remain subordinate to views from State Highway 6 to landscape features and adjacent development; Lighting to allow safe night time use of footpaths and cycle facilities without contributing to lighting clutter or glare when viewed from the Highway; If the Building Restriction Area remains in private ownership, the sufficiency of means to ensure unrestricted public access through it, and provide for ongoing care and maintenance of pedestrian and bicycle facilities, landscaping, lighting, signage, or furniture. 	<u>RD</u>

49.5 Rules – Standards

49.5.0.1 Notwithstanding the restrictions of discretion specifically listed for individual activities in the table below, all activities identified as RD shall be subject to the following additional general restrictions of discretion:

- The maximisation of residential density, affordability, and (at higher densities than suburban) choice in the residential precincts, and above the ground floor level in the Commercial and Glenpanel Precincts.
- Provision of positive effects including environmental benefits and the performance of infrastructure in all Precincts.
- Maximisation of pedestrian-priority, high-amenity, and active frontages along streets, open spaces, and private ways having the function of a road in all Precincts, including the Open Space Precinct when and if buildings are proposed.

49.5.0.2 Resource consents for development that infringe one or more development standards in the residential precincts or the Commercial Precinct, regardless of activity status, shall be assessed on the basis of the following general prioritisation, in the order stated:

- Maximising housing density, (at higher density than suburban) choice and affordability within the residential precincts, and above the ground floor level in the Commercial Precinct; and then
- Whether the infringement(s) allow for a higher-standard of ecological sustainability and stormwater management than the minimum requirements of the Zone would otherwise provide; and then
- Achieving very high amenity and very high visual quality public space outcomes along streets, open spaces, and private ways having the function of a road; and then

(d) The other relevant matters stated within the Plan.

Note: this rule applies only to the assessment of applications to infringe the standards set out in the Tables below but excluding the Glenpanel Precinct. Where consent is also required for other reasons including under other Chapters of the District Plan, this prioritisation rule shall not apply to those matters.

The Glenpanel Precinct has been excluded from this prioritisation rule because its specific historic heritage sensitivity justifies a more case-by-case approach to be taken.

Table 1	Standards for activities located in the Low Density Residential Precinct	Non-compliance status
49.5.1	Residential Density Maximum residential density of one residential unit per 300m ² , except as provided for in Sub-Area H2 where Rule 49.5.6.5 applies in which case it is 200m ² .	NC
49.5.2	Building Height A maximum of 8m.	NC
49.5.3	Building Coverage A maximum of 40%, except for a development within Sub-Area H2 where Rule 49.5.14C applies.	D
49.5.4	Landscape permeable surface coverage At least 30% of the site area shall comprise landscaped (permeable) surface, except for a development within Sub-Area H2 where Rule 49.5.14C applies.	NC
49.5.5	Recession plane The following recession planes apply to all buildings: a. Northern boundary: 2.5m and 55 degrees b. Western and eastern boundaries: 2.5m and 45 degrees c. Southern boundaries: 2.5m and 35 degrees. Except that: a. gable ends roofs may penetrate the building recession plane by no more than one third of the gable height. b. recession planes will not apply on boundaries with roads. c. recession planes will not apply to buildings sharing a common or party wall, <u>except for a development within Sub-Area H2 where Rule 49.5.14C applies.</u>	RD Discretion is restricted to any sunlight, shading or privacy effects created by the proposal on adjacent sites.
49.5.6	Minimum Building Setbacks 49.5.6.1 Minimum setback from road boundary: 4.5m 49.5.6.2 Setback from waterbodies: 7m 49.5.6.3 All other boundaries: 2m 49.5.6.4 In Sub-Area H1: Minimum setback from boundary with Sub- Area H2: 6m 49.5.6.5 In Sub-Area H2: Rule 49.5.6.3 does not apply along common boundaries of sites in contiguous ownership except for any buildings within 10m of the top of the southern escarpment edge of Sub-Area H2, where Rule	D

Table 1	Standards for activities located in the Low Density Residential Precinct	Non-compliance status
	<p>49.5.6.5A applies</p> <p>49.5.6.5A In Sub-Area H2, except where Rule 49.5.14B applies, for any buildings within 10m of the top of the southern escarpment edge the minimum setbacks are:</p> <ul style="list-style-type: none"> (a) 6m from the top of the southern escarpment edge; (b) 2m from the southern site boundary; and (c) 2m from the side boundaries. <p>49.5.6.6 In Sub-Area K3: Minimum setback from the top of an escarpment edge: 20m.</p> <p>49.5.6.7 49.5.6.7 Minimum setback from the southern (outer) side of the State Highway 6 Building Restriction Area: 0m</p> <p>Except that:</p> <ul style="list-style-type: none"> a. eaves may be located up to 600mm into any boundary setback along eastern, western and southern boundaries and up to 1m into any boundary setback along northern boundaries. b. accessory buildings for residential activities may be located within the boundary setback distances (other than from road boundaries), or within setbacks from the top of an escarpment, where they do not exceed 7.5m in length, there are no windows or openings (other than for carports) along any walls within 1.5m of an internal boundary, and they comply with rules for Building Height and Recession Plane. c. within 4m of the top of an escarpment the storage (temporary or otherwise) of any object greater than 1.5m high is not permitted. d. setbacks do not apply to site boundaries where a common or party wall proposed between two buildings on adjacent sites provided this does not apply where Rule 49.5.6.5A applies. <p>The top of an escarpment is measured at its top edge as at 1 March 2024. Consent applications under this Rule must, where the location of an escarpment is relevant to an assessment, provide a survey plan clearly identifying the top of the escarpment with their consent application.</p>	
<p>49.5.7</p>	<p>Building length</p> <p>The length of any building elevation above the ground floor level shall not exceed 16m.</p>	<p>RD</p> <p>Discretion is restricted to the external appearance, location and visual dominance of the building(s) as viewed from the streets(s) and adjacent sites.</p>
<p>49.5.8</p>	<p>Waste and Recycling Storage Space</p> <p>49.5.8.1 Residential activities shall provide, sufficient space for waste, green waste and recycling bins per residential unit</p> <p>49.5.8.2 Waste, green waste and recycling bins shall be:</p> <ul style="list-style-type: none"> a. located where it is easy to manoeuvre for kerbside collections and avoid impeding vehicle movements within and through the site; and b. not directly visible from adjacent sites, roads and public 	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Effects on amenity values; b. Size, location and access of waste and recycling

Table 1	Standards for activities located in the Low Density Residential Precinct	Non-compliance status						
	<p>spaces; or</p> <p>c. screened with materials that are in keeping with the design of the building.</p>	storage space.						
49.5.9	<p>Road noise – State Highway</p> <p>Any new residential building or buildings containing Activities Sensitive to Road Noise located within</p> <p>a. 80 metres of the boundary of a State Highway with a speed limit of 70km/h or greater; or</p> <p>b. 40 metres of the boundary of a State Highway with a speed limit less than 70 km/h</p> <p>Shall be designed, constructed and maintained to ensure that the internal noise levels do not exceed 40 dB LAeq(24h) for all habitable spaces including bedrooms.</p>	NC						
49.5.10	<p>Staging development to integrate with transport infrastructure</p> <p>Development (except for utilities, the specified transport infrastructural works and other physical infrastructure) within the Sub-Areas shown on the Structure Plan shall not occur prior to all the corresponding transport infrastructural works for the Sub-Area listed below being completed.</p> <p>For the purposes of this rule, “completed” means when the works are physically completed and are able to be used for the intended purpose.</p> <p>For the purposes of this rule, “development” means a building for which a Code Compliance Certificate has been issued by the Council. Any application under Rules 49.4.4, 49.4.18, and any other application involving a building shall include a condition requiring that a Code Compliance Certificate under s92 of the Building Act 2004 shall not be applied in respect of that building before the corresponding transport infrastructural works for the Sub-Area are completed.</p> <table border="1" data-bbox="337 1262 1127 1919"> <thead> <tr> <th data-bbox="337 1262 526 1318">Sub-Area</th> <th data-bbox="526 1262 1127 1318">Transport infrastructural works</th> </tr> </thead> <tbody> <tr> <td data-bbox="337 1318 526 1398">H1, K1 and K3</td> <td data-bbox="526 1318 1127 1398">a. Active travel link to SH6 bus stops at Stalker Road intersection</td> </tr> <tr> <td data-bbox="337 1398 526 1919">H2</td> <td data-bbox="526 1398 1127 1919"> <p>Connection to active travel link to SH6 bus stops at Stalker Road intersection</p> <p>If more than 108 residential units are built in Sub-Area H2, then:</p> <p>a. Active travel link to SH6 bus stops at Stalker Road intersection</p> <p>b. Dedicated westbound bus lane on SH6 (Howards Drive to Shotover Bridge (part of NZUP package)</p> <p>c. Bus stops on SH6 at Stalker Road intersection (one on each side of SH6)</p> <p>d. Stalker Road northbound bus priority lane south of SH6</p> <p>e. Signalisation of Stalker Road / SH6 intersection, including at-grade pedestrian and cycle</p> </td> </tr> </tbody> </table>	Sub-Area	Transport infrastructural works	H1, K1 and K3	a. Active travel link to SH6 bus stops at Stalker Road intersection	H2	<p>Connection to active travel link to SH6 bus stops at Stalker Road intersection</p> <p>If more than 108 residential units are built in Sub-Area H2, then:</p> <p>a. Active travel link to SH6 bus stops at Stalker Road intersection</p> <p>b. Dedicated westbound bus lane on SH6 (Howards Drive to Shotover Bridge (part of NZUP package)</p> <p>c. Bus stops on SH6 at Stalker Road intersection (one on each side of SH6)</p> <p>d. Stalker Road northbound bus priority lane south of SH6</p> <p>e. Signalisation of Stalker Road / SH6 intersection, including at-grade pedestrian and cycle</p>	NC
Sub-Area	Transport infrastructural works							
H1, K1 and K3	a. Active travel link to SH6 bus stops at Stalker Road intersection							
H2	<p>Connection to active travel link to SH6 bus stops at Stalker Road intersection</p> <p>If more than 108 residential units are built in Sub-Area H2, then:</p> <p>a. Active travel link to SH6 bus stops at Stalker Road intersection</p> <p>b. Dedicated westbound bus lane on SH6 (Howards Drive to Shotover Bridge (part of NZUP package)</p> <p>c. Bus stops on SH6 at Stalker Road intersection (one on each side of SH6)</p> <p>d. Stalker Road northbound bus priority lane south of SH6</p> <p>e. Signalisation of Stalker Road / SH6 intersection, including at-grade pedestrian and cycle</p>							

Table 1	Standards for activities located in the Low Density Residential Precinct		Non-compliance status
		<p>crossings across both roads</p> <p>f. SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p>	
	K1 and K3	<p>a. Dedicated westbound bus lane on SH6 from Howards Drive to Shotover Bridge (part of NZUP package))</p> <p>b. Signalisation of Stalker Road / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads</p> <p>c. Stalker Road northbound bus priority lane south of SH6</p> <p>d. SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p> <p>e. Upgraded Lower Shotover Road / Spence Road intersection</p> <p>f. Bus stops on SH6 at Stalker Road intersection (one on each side of SH6)</p>	
	K1	Access intersection from Lower Shotover Road	
	K3	Access intersection from Spence Road	
49.5.12	<p>Lighting and Glare</p> <p>49.5.12.1 All exterior lighting shall be directed downward and away from adjacent sites and roads.</p> <p>49.5.12.2 No activity on any site shall result in greater than a 3.0 lux spill (horizontal or vertical) of lights onto any other site measured at any point inside the boundary of the other site.</p>		<p>RD</p> <p>Discretion is restricted to:</p> <p>a. Effects of lighting and glare on amenity values;</p> <p>b. Effects of lighting and glare on the transportation network; and</p> <p>c. Effects of lighting and glare on the night sky.</p>
49.5.13	<p>Homestay</p> <p>49.5.13.1 Shall not exceed 5 paying guests on a site per night</p> <p>49.5.13.2 Shall not generate any vehicle movements by heavy vehicles, coaches or buses to or from the site.</p> <p>49.5.13.3 The Council shall be notified in writing prior to the commencement of the Homestay Activity</p> <p>49.5.13.4 Up to date records of the Homestay Activity shall be kept, including a record of the number of guests staying per night, and in a form that can be made available for inspection by the</p>		<p>RD</p> <p>Discretion is restricted to:</p> <p>a. Residential amenity values and character, and the effects of the activity on the neighbourhood;</p>

Table 1	Standards for activities located in the Low Density Residential Precinct	Non-compliance status
	Council at 24 hours notice.	<ul style="list-style-type: none"> b. The cumulative effect of the activity, when added to the effects of other activities occurring in the neighbourhood; c. The scale and frequency of the activity, including the number of nights per year; d. The management of noise, use of outdoor areas, rubbish and recycling; and e. The location and screening of any parking and access.
49.5.14	<p>Home Occupation</p> <p>49.5.14.1 No more than 1 full time equivalent person from outside the household shall be employed in the home occupation activity.</p> <p>49.5.14.2 The maximum number of two-way vehicle trips shall be:</p> <ul style="list-style-type: none"> a. heavy vehicles: none permitted; b. other vehicles: 10 per day. <p>49.5.14.3 Maximum net floor area of 60m².</p> <p>49.5.14.4 Activities and storage of materials shall be indoors.</p>	D
49.5.14A	<p>Residential Visitor Accommodation in Sub-Area H2:</p> <p>49.5.14A.1 The activity is on a lot greater than 2000m²; and</p> <p>49.5.14A.2 The activity complies with the standards specified in 11.5.13 of the Large Lot Residential (A) Zone.</p>	NC
49.5.14B	New residential units on sites greater than 2000m ² within the H2 Sub-Area shall be subject to the bulk and location controls specified in the Large Lot Residential (A) Zone provisions (11.5.1 – 11.5.14).	As required by Rules 11.5.1 – 11.5.4
49.5.14C	<p>The following rules from Table 2 – Standards for activities located in the Medium Density Residential Precinct will apply to Sub-Area H2 if the provisions in Rule 49.5.6.5 for 0m internal boundary setbacks are utilised.</p> <p>49.5.18 Recession Plane</p> <p>49.5.19 Landscaped permeable surface</p> <p>49.5.21 Building coverage [45%]</p> <p>49.5.23 Outlook space</p> <p>49.5.24 Outdoor living space</p> <p>49.5.28 Residential storage</p>	As per listed Rule

Table 1	Standards for activities located in the Low Density Residential Precinct	Non-compliance status
	49.5.30 Garages	
49.5.14D	<p>Landscape buffer</p> <p>The Landscape Buffer shown on the Structure Plan within Sub Area K1 and K3 shall be no less than 10 metres wide along its full length and include:</p> <ul style="list-style-type: none"> • a diverse range of 70% indigenous species with a minimum plant spacing of 1.5m to enhance biodiversity values. • no less than 30% of planting which will reach a mature height of over 10 meters. • no less than 30% of planting which shall reach a mature height of over 4 meters. • the balance of the species can be shrubs and small trees which contribute to biodiversity and amenity values. • No buildings or structures. 	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. Effects on, or contribution to, biodiversity and amenity b. Screening benefits or effects to adjacent properties
49.5.14E	<p>Fences on southern boundary of Sub Area H2</p> <p>All fences on the southern boundary of Sub Area H2 shall not be a solid fence, or a wall, and shall not be higher than 1.2m.</p>	<p>RD</p> <p>Discretion is restricted to visual amenity and visual dominance effects of the fence on properties below the southern escarpment.</p>

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
49.5.15	<p>Development shall be in accordance with the Structure Plan at 49.8, except that:</p> <ol style="list-style-type: none"> a. The location where Collector Road Types A and B intersect with State Highway 6 or Lower Shotover Road may be varied by up to 10m where required to achieve integration with these intersections. b. The location of Collector Road Type A and the Stormwater swale on its northern side: <ol style="list-style-type: none"> (i) may be varied to up to 10m of that shown; or (ii) to the west of Collector Road Type C, may be within the paper road boundary or between it and the location shown on the Structure Plan. c. The location of Collector Road Type C may be varied by up to 20m to integrate with the intersection with State Highway 6. 	NC

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
	<p>d. The location of the Key Crossing shown on the Structure Plan may be varied by up to 30m.</p> <p>e. The location of items identified with a "*" on the Structure Plan shall -be in general accordance with the Structure Plan.</p>	
<p>49.5.16</p>	<p>Residential Density</p> <p>49.5.16.1 In the Medium Density Residential Precinct, residential development shall achieve a density of at least 40 residential units per hectare across the net developable area of the site.</p> <p>49.5.16.2 In the High Density Residential Precinct, residential development shall achieve a density of at least 40 residential units per hectare across the net developable area of the site .</p> <p>For the purpose of this rule, net developable area of a site means the land within the site shown within the Structure Plan extent, excluding:</p> <p>a. the following areas noted on the Structure Plan:</p> <p>i. Building Restriction Areas, Roads, Open Space, Landscape Buffers, Escarpments, and Stormwater Swales; and</p> <p>b. the following areas not included on the Structure Plan:</p> <p>i. any land proposed to be vested in the Council for public use or utilities.</p>	<p>a.</p>
<p>49.5.17</p>	<p>Building Height</p> <p>Building height shall not exceed the maximum and/or minimum heights shown on the Te Pūtahi Ladies Mile – Building Heights Plan.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <p>a. Achieving, at least, a minimum residential density of 40 units per hectare (net).</p> <p>b. Any sunlight, shading or privacy effects on adjacent private land;</p> <p>c. External appearance, location and visual dominance of the building;</p> <p>d. Provision of sustainable design responses including in terms of stormwater or other infrastructure.</p> <p>e. Achieving high-visual-quality development Heritage values</p>

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
		of the Glenpanel Homestead
49.5.18	<p>Recession Plane</p> <p>Buildings shall not project beyond the following:</p> <p>49.5.18.1 In the Medium Density Residential Precinct, the following:</p> <ul style="list-style-type: none"> a. Northern boundary: A 55-degree recession plane measured 4m above the boundary; b. Western and Eastern boundaries: A 45-degree recession plane measured 4m above the boundary; c. Southern boundary: A 35-degree recession plane measured 4m above the boundary. <p>49.5.18.2 In the High Density Residential Precinct, a 45-degree recession plane measured 7m above the boundary, except on the northern boundary of the site a 55-degree recession plane measured 7m above the boundary applies.</p> <p>Exclusions:</p> <ul style="list-style-type: none"> a. Gable end roofs may penetrate the building recession plane by no more than one third of the gable height; b. Recession planes do not apply to site boundaries adjoining the Commercial Precinct, fronting a road, swale, or adjoining a park or reserve; c. Recession planes do not apply to site boundaries where a common or party wall is proposed between two buildings on adjacent sites. 	<p>RD</p> <p>Discretion is restricted to any visual dominance, sunlight, shading or privacy effects created by the proposal on adjacent sites, including effects on the heritage values of the Glenpanel Homestead.</p>
49.5.19	<p>Landscaped permeable surface</p> <p>49.5.19.1 In the Medium Density Residential Precinct, at least 25% of the site area shall comprise permeable surface.</p> <p>49.5.19.2 In the High Density Residential Precinct, at least 20% of the site area shall comprise permeable surface.</p> <p>49.5.19.3 Each residential unit located on the ground floor shall include a minimum of 1 specimen tree (45L) and 3m² of soft landscaping located between the road boundary and the front elevation of any building</p>	<p>NC</p> <p>NC</p> <p>RD</p> <p>Discretion is restricted to external appearance and visual dominance of the building when viewed from the street.</p>
49.5.20	<p>Roof colour</p> <p>The roof of any new building or any building alterations that result in a change in roofing material, shall be coloured within the range of browns, greens, greys blacks and blue greys with a Light Reflectance Value (LRV) of less than 30%.</p>	<p>RD</p> <p>Discretion is restricted to visual effects on Slope Hill when viewed from above</p>
49.5.21	<p>Building Coverage</p> <p>49.5.21.1 In the Medium Density Residential Precinct, a maximum of 45%.</p>	<p>RD</p> <p>Discretion is restricted to the following:</p> <ul style="list-style-type: none"> a. external appearance, location and visual dominance of the

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
	<p>49.5.21.2 In the High Density Residential Precinct, a maximum of 70%.</p>	<p>building(s) as viewed from the street(s) and adjacent sites;</p> <p>b. external amenity values for future occupants of buildings on the site.</p> <p>NC</p>
<p>49.5.22</p>	<p>Minimum boundary setbacks for buildings</p> <ul style="list-style-type: none"> a. Road boundaries: 3m b. All other boundaries: 1.5m c. Garages shall be setback at least 6m from a road boundary. d. Building setbacks from a private-way having the function of a dedicated rear service lane, and which does not provide public access to any residential unit's front door or public pedestrian traffic generally: 0m e. Building setbacks from a private-way having the function of a road in terms of providing public access to any residential unit's front door and public pedestrian traffic: 3m <p>Note: For the purposes of clauses (d) and (e) above, private ways shall only be considered in their entirety (i.e., both sides together and for their full length) when identifying whether clause (d) or clause (e) applies. Refer also to the provisions of Chapter 27.</p> <ul style="list-style-type: none"> f. In Sub-Area K2: Minimum setback from the top of the escarpment edge: 20m. g. Minimum setback from the northern (outer) side of the State Highway 6 Building Restriction Area: 0m <p>Exclusions:</p> <ul style="list-style-type: none"> a. Setbacks do not apply to site boundaries where a common or party wall is proposed between two buildings on adjoining sites. b. Roof eaves, entrance awnings, window shading/screening devices and other building elements that provide shelter can extend into the road boundary setback by up to 1.5m on buildings up to a maximum of two storeys in height and up to 1m on all other boundaries. <p>The top of an escarpment is measured at its top edge as at 1 March 2024. Consent applications under this Rule must, where the location of an escarpment is relevant to an assessment, provide a survey plan clearly identifying the top of the escarpment with their consent application.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Any privacy effects created by the proposal on adjacent sites; b. External appearance, location and visual dominance of the building as viewed from the street and adjacent sites; and c. Effects on the safety of the transportation network, including pedestrian safety. d. Heritage values of the Glenpanel Homestead.
<p>49.5.23</p>	<p>Outlook Space</p> <p>An outlook space that meets the following standards shall be provided from the face of a building containing windows to a habitable room in a residential unit:</p> <p>49.5.23.1 Principal living room:</p> <ul style="list-style-type: none"> 1-2 storeys: 8m in depth and 4m wide 3 storeys: 10m in depth and 4m wide 	<p>RD</p> <p>Discretion is restricted to effects on residential amenity.</p>


Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
	<p style="text-align: center;">4 storeys and above: 12m in depth and 4m wide</p> <p>49.5.23.2 Principal bedroom: 3m in depth and 3m wide</p> <p>49.5.23.3 All other habitable rooms: 1m in depth and 1m wide</p> <p>Notes:</p> <ol style="list-style-type: none"> Outlook spaces are to be the same height as the floor height of the building face to which it applies, with the depth to be measured at right angles from the window to which it applies. Outlook spaces from different rooms within the same residential unit or residential flat may overlap. Outlook spaces may be located within the site or over a public street, swale, or other public open space but not otherwise over another site. Outlook spaces shall be clear and unobstructed by buildings. 	
<p>49.5.24</p>	<p>Outdoor living space</p> <p>Each residential unit shall have an outdoor living space that meets the following standards:</p> <p>49.5.24.1 At ground level: Minimum area of 20m², which can be comprised of ground floor and/or balcony/roof terrace space with a minimum dimension of 4m for ground level and 1.8m for above ground level.</p> <p>49.5.24.2 Above ground level: Minimum area of –</p> <ul style="list-style-type: none"> 1 bedroom unit: 8m² 2 bedroom unit: 10m² 3 or more-bedroom unit: 12m² <p>with a minimum dimension of 1.5m.</p> <p>49.5.24.3 All outdoor living space shall be directly accessible from the residential unit and shall be free from buildings, parking spaces, servicing and manoeuvring areas.</p> <p>49.5.24.4 Buildings with 4 or more residential units above ground level shall provide an additional 4m² of common space per bedroom of above ground level units. Common space shall be</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> effects on residential amenity; The extent to which any common space is adequate for providing outdoor seating, landscaping, and informal play spaces and receives adequate sunlight access, and is accessible to all units it is intended to serve.

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
	<p>landscaped, free of vehicles and accessible to all units it is intended to serve.</p> <p>Exclusions: Rule 49.5.24.4 does not apply where the primary entrance of a building is within 100m walking distance of a public park.</p>	
49.5.25	<p>Lighting and Glare</p> <p>49.5.25.1 All exterior lighting shall be directed downward and away from adjacent sites and roads.</p> <p>49.5.25.2 No activity on any site shall result in greater than a 3.0 lux spill (horizontal or vertical) of lights onto any other site measured at any point inside the boundary of the other site.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> Effects of lighting and glare on amenity values; Effects of lighting and glare on the transportation network; and Effects of lighting and glare on the night sky.
49.5.26	<p>Building separation within sites</p> <p>The minimum separation distance between buildings containing residential units within the site shall comply with the following:</p> <p>49.5.26.1 Up to two storeys: 2m 3 storeys: 4m 4 storeys: 6m 5 or more storeys: 8m</p> <p>Except that this shall not apply to shared walls for terrace or other attached building typologies.</p> <p>49.5.26.2 Where there is a difference in the number of storeys of the two buildings, the larger separation distance shall apply.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> External appearance, location and visual dominance of the building; and Effects on residential amenity.
49.5.27	<p>Fencing</p> <p>Any fencing located between any road boundary or boundary with a reserve or swale shall have a maximum height of 1.2m, except that fences may be up to 1.8m where they are visually permeable.</p>	<p>RD</p> <p>Discretion is restricted to effects on passive surveillance of the street.</p>
49.5.28	<p>Residential Storage</p> <p>Every residential unit shall have a storage space comprising at least 2m³ per one bedroom and an additional storage space of 1m³ for every bedroom thereafter.</p>	<p>RD</p> <p>Discretion is restricted to effects on residential amenity, including provision of alternative storage solutions.</p>
49.5.29	<p>Maximum building length</p> <p>49.5.29.1 In the Medium Density Residential Precinct, the length of any building elevation above the ground floor level shall not exceed 26m.</p>	<p>RD</p> <p>Discretion is restricted to external appearance, location and visual</p>

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
	49.5.29.2 In the High Density Residential Precinct, the length of any building elevation above the ground floor level shall not exceed 32m.	dominance of the building
49.5.30	<p>Garages, car parking and vehicle access, and provision to store and collect wastes</p> <p>49.5.30.1 Any residential unit with a frontage width of 10m or less shall be limited to a single-width garage, a single-width driveway, and a single-width vehicle crossing.</p> <p>49.5.30.2 Any residential unit with a frontage width of 6.5m or less shall have no garage, driveway, or vehicle crossing in front of the residential unit.</p> <p>49.5.30.3 For the purposes of 49.5.30.1 and 49.5.30.2, where a residential unit is on a corner site, the rules apply to each individual frontage.</p> <p>49.5.30.4 Garages shall be setback a minimum of 0.5m from the front elevation of the building which is visible from the street (note also Rule 49.5.22).</p> <p>49.5.30.5 Where a side yard allows, the day-to-day storage of bins shall not occur in front of a residential unit.</p> <p>49.5.30.6 In the case of attached housing where the residential unit(s) have no side yard, and where a dedicated rear service lane is available, the storage and collection of bins shall occur from within the rear service lane.</p> <p>49.5.30.7 In the case of attached housing where the residential unit(s) have no side yard, and where servicing from a dedicated rear service lane is not possible, the day-to-day storage of bins shall occur in an enclosure attached to the residential unit's front wall. Such enclosures shall be excluded from any applicable setback or building coverage standards.</p> <p>Note: For the purposes of this rule, "frontage" means the elevation of a building that faces a road or a private way having the function of a road in terms of providing public access to any residential unit's front door and public pedestrian traffic (whether on one or both sides). It does not apply to dedicated rear service lanes.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. Avoidance of a proliferation of vehicle crossings, driveways, and reversing vehicles across footpaths. b. Ensuring well-landscaped front yards between residential units and roads or private ways that serve the function of a road. c. Avoiding a proliferation of, and otherwise minimising the adverse effects of permanently-placed bins detracting from the quality of frontages, including in terms of visual quality, smells, spills, or pests at or adjacent to the road or relevant private way edge. d. Ensuring the efficient use of rear service lanes where these have been provided or are available. e. External appearance, location and visual dominance of the building when viewed from the street; f. Effects on passive surveillance of the street;
49.5.31	<p>Location of mechanical plant</p> <p>Externally mounted mechanical plant shall not be visible from the street or any public place.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. External

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status										
		<p>appearance, location and visual dominance of the building when viewed from the street;</p> <p>b. Effects on residential amenity.</p>										
<p>49.5.32</p>	<p>Road noise – State Highway 6</p> <p>Any new residential buildings or buildings containing Activities Sensitive to Road Noise, located within:</p> <ul style="list-style-type: none"> a. 80m of the boundary of State Highway 6 where the speed limit is 70kmph or greater; or b. 40m of the boundary of State Highway 6 where the speed limit is less than 70kmph <p>shall be designed and constructed to ensure that the internal noise levels do not exceed 40dB Laeq(24h) for habitable spaces.</p>	<p>NC</p>										
<p>49.5.33</p>	<p>Staging development to integrate with transport infrastructure.</p> <p>Development (except for utilities, the specified transport infrastructural works and other physical infrastructure) within the Te Pūtahi Ladies Mile Sub-Areas shown on the Structure Plan shall not occur prior to all the corresponding transport infrastructural works for the Sub-Area listed below being completed.</p> <p>For the purposes of this rule, “completed” means when the works are physically completed and are able to be used for the intended purpose.</p> <p>For the purposes of this rule, “development” means a building for which a Code Compliance Certificate has been issued by the Council. Any application under Rules 49.4.4, 49.4.18, and any other application involving a building shall include a condition requiring that a Code Compliance Certificate under s92 of the Building Act 2004 shall not be applied for in respect of that building before the corresponding transport infrastructural works for the Sub-Area are completed.</p> <table border="1" data-bbox="334 1377 1146 1894"> <thead> <tr> <th data-bbox="334 1377 505 1430">Sub-Area</th> <th data-bbox="505 1377 1146 1430">Transport infrastructural works</th> </tr> </thead> <tbody> <tr> <td data-bbox="334 1430 505 1583">A</td> <td data-bbox="505 1430 1146 1583">Access intersection from at least one of Lower Shotover Road / Spence Road or Collector Road A at Stalker Road</td> </tr> <tr> <td data-bbox="334 1583 505 1667">A, K2</td> <td data-bbox="505 1583 1146 1667">Upgraded Lower Shotover Road at Spence Road intersection</td> </tr> <tr> <td data-bbox="334 1667 505 1782">K2</td> <td data-bbox="505 1667 1146 1782">Active travel link between Lower Shotover Road, the bus stops on SH6 at Stalker Road, sub areas K1, K2 and K3 the Old Shotover Bridge</td> </tr> <tr> <td data-bbox="334 1782 505 1894">A, B, K2</td> <td data-bbox="505 1782 1146 1894">Bus stops on SH6, Stalker Road intersection (one on each side of State Highway 6) Signalisation of Stalker Road / SH6 intersection,</td> </tr> </tbody> </table>	Sub-Area	Transport infrastructural works	A	Access intersection from at least one of Lower Shotover Road / Spence Road or Collector Road A at Stalker Road	A, K2	Upgraded Lower Shotover Road at Spence Road intersection	K2	Active travel link between Lower Shotover Road, the bus stops on SH6 at Stalker Road, sub areas K1, K2 and K3 the Old Shotover Bridge	A, B, K2	Bus stops on SH6, Stalker Road intersection (one on each side of State Highway 6) Signalisation of Stalker Road / SH6 intersection,	<p>NC</p>
Sub-Area	Transport infrastructural works											
A	Access intersection from at least one of Lower Shotover Road / Spence Road or Collector Road A at Stalker Road											
A, K2	Upgraded Lower Shotover Road at Spence Road intersection											
K2	Active travel link between Lower Shotover Road, the bus stops on SH6 at Stalker Road, sub areas K1, K2 and K3 the Old Shotover Bridge											
A, B, K2	Bus stops on SH6, Stalker Road intersection (one on each side of State Highway 6) Signalisation of Stalker Road / SH6 intersection,											

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct		Non-compliance status
		<p>including at-grade pedestrian and cycle crossings across both roads</p> <p>Active Travel link to SH6 bus stops at Stalker Road Intersection.</p>	
	C, E	<p>Signalisation of the Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads</p> <p>Bus stops on SH6, Howards Drive intersection (one on each side of SH6)</p>	
	F, G1	<p>Eastern Roundabout on State Highway 6</p> <p>Bus stops on SH6 west of the Eastern Roundabout (one on each side of SH6)</p> <p>At grade signalised pedestrian / cycle crossing of SH6 west of the Eastern Roundabout</p> <p>Dedicated westbound bus lane on SH6 (Howards Drive to Eastern roundabout (not included in NZUP package))</p> <p>SH6 Eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p>	
	A, B, C, E, K2	<p>Dedicated westbound bus lane on SH6 from Howards Drive to Shotover Bridge (part of NZUP package)</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p> <p>Stalker Road northbound bus priority lane south of SH6</p>	
49.5.34	<p>Homestay</p> <p>49.5.34.1 Shall not exceed 5 paying guests on a site per night.</p> <p>49.5.34.2 Shall not generate any vehicle movements by heavy vehicles, coaches or buses to or from the site.</p> <p>49.5.34.3 The Council shall be notified in writing prior to the commencement of the Homestay Activity.</p> <p>49.5.34.4 Up to date records of the Homestay Activity shall be kept, including a record of the number of guests staying per night, and in a form that can be made available for inspection by the Council at 24 hours notice.</p>		<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> Residential amenity values and character, and the effects of the activity on the neighbourhood; The cumulative effect of the activity, when added to the effects of other activities occurring in the neighbourhood; The scale and frequency of the activity, including the number of nights per year; The management of noise, use of outdoor areas and rubbish

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
		and recycling; and e. The location and screening of any parking and access.
49.5.35	<p>Home Occupation</p> <p>49.5.35.1 No more than 1 full time equivalent person from outside the household shall be employed in the home occupation activity.</p> <p>49.5.35.2 The maximum number of two-way vehicle trips shall be:</p> <ol style="list-style-type: none"> a. heavy vehicles: none permitted; b. other vehicles: 10 per day. <p>49.5.35.3 Maximum net floor area of 60m².</p> <p>49.5.35.4 Activities and storage of materials shall be indoors.</p>	D
49.5.36	<p>Minimum size of residential units in the High Density Residential Precinct</p> <p>49.5.36.1 30m² for studio units.</p> <p>49.5.36.2 45m² for one or more bedroom units.</p>	D
49.5.36A	<p>Residential Visitor Accommodation in the HDR Precinct:</p> <p>49.5.36A.1 For Residential Visitor Accommodation within a building of at least four storeys:</p> <ol style="list-style-type: none"> a. A maximum of 50% of the units within a building are allowed to be available for Residential Visitor Accommodation. b. The total nights of occupation by paying guests within a unit does not exceed a cumulative total of 90 nights per annum from the date of initial registration. c. The number of guests must not exceed two adults per bedroom and the total number of adults and children must not exceed: <ul style="list-style-type: none"> • 3 in a one-bedroom residential unit; • 6 in a two-bedroom residential unit; • 9 in a three-bedroom residential unit d. No vehicle movements by a passenger service vehicle capable of carrying more than 12 people are generated. <p>49.5.36A.2 For Residential Visitor Accommodation within a building of three storeys or less the total number of nights does not exceed 30 nights per annum from the initial date of registration.</p> <p>Notes:</p> <ol style="list-style-type: none"> (a) The activity is registered with Council prior to commencement. (b) Up to date records of the Residential Visitor Accommodation activity must be kept including a record of the date and duration of guest stays and the number of guests staying per night, and in a form that can be made available for inspection by Council with 24 hours' notice. (c) The Council may request that records are made available to the Council for inspection at 24 hours' notice, in order to monitor compliance with Rules 49.5.37.1 – 49.5.37.4 	NC

Table 2	Standards for activities located in the Medium Density Residential Precinct and the High Density Residential Precinct	Non-compliance status
49.5.36B	<p>Landscape buffer</p> <p>The Landscape Buffer shown on the Structure Plan within Sub Area A shall be no less than 6 meters wide along its full length and the landscape buffer in Sub Area K2 shall be no less than 10m wide and both shall include:</p> <ul style="list-style-type: none"> • a diverse range of 70% indigenous species with a minimum plant spacing of 1.5m to enhance biodiversity values. • no less than 30% of planting which will reach a mature height of over 10 meters. • no less than 30% of planting which shall reach a mature height of over 4 meters. • the balance of the species can be shrubs and small trees which contribute to biodiversity and amenity values. • No buildings or structures 	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. Effects on, or contribution to, biodiversity and amenity b. Screening benefits or effects to adjacent properties

Table 3	Standards for activities located in the Commercial Precinct and the Glenpanel Precinct	Non-compliance status
49.5.37	<p>Development shall be in accordance with the Structure Plan at 49.8, except that:</p> <ol style="list-style-type: none"> a. The location where Collector Road Types A and B intersect with State Highway 6 or Lower Shotover Road may be varied by up to 10m where required to achieve integration with these intersections. b. The location where Collector Road Type C intersects with State Highway 6 may be varied by up to 20m to integrate with this intersection c. The location of the Key Crossing shown on the Structure Plan may be varied by up to 40m. d. The location of items identified with a * on the Structure Plan shall be in general accordance with the Structure Plan. 	NC
49.5.38	<p>Retail activity</p> <p>49.5.38.1 The maximum retail floor area of a single retail tenancy shall be 300m², except as provided for by 49.5.38.2 below.</p> <p>49.5.38.2 The maximum retail floor area of the single Large Format Retail tenancy retailing grocery products provided for in Rule 49.4.14 shall be 4000m².</p>	NC
49.5.39	<p>Office activity</p> <p>The maximum gross floor area of a single office tenancy shall be 200m².</p> <p>Except that this rule shall not apply to tenancies operating as a commercial coworking space.</p>	D

Table 3	Standards for activities located in the Commercial Precinct and the Glenpanel Precinct	Non-compliance status
49.5.40	<p>Storage</p> <p>Where a storage area does not form part of a building, the storage area shall be screened from view from all public places, adjoining sites and adjoining precincts.</p>	<p>RD</p> <p>Discretion is restricted to the effects on visual amenity;</p>
49.5.41	<p>Building Height</p> <p>49.5.41.1 In the Glenpanel Precinct, within the area marked B on the Glenpanel Building Heights Plan, building height shall not exceed 8m.</p> <p>49.5.41.2 Except as provided for in rule 49.5.41.1, building height shall not exceed the maximum heights shown on the Te Putahi Ladies Mile Building Heights Plan</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. the effects of additional height on the urban form of the Precinct and any adverse effects on any public or publicly accessible space; b. the protection of public views of Slope Hill from roads within the Zone north of State Highway; c. effects on residential amenity, dominance and access to sunlight; and d. Heritage values of the Glenpanel Precinct.
49.5.41A	<p>Recession Plane</p> <p>Where the Commercial Precinct boundary adjoins the MDR or HDR Precinct, the sunlight recession plane standard of the MDR or HDR Precinct, as applicable, shall apply to any building within the Commercial Precinct.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. the effects on residential amenity, dominance and access to sunlight; b. the effects on the amenity of, and sunlight access to, streets and other public areas.

Table 3	Standards for activities located in the Commercial Precinct and the Glenpanel Precinct	Non-compliance status
49.5.42	<p>Setbacks in the Glenpanel Precinct</p> <p>Buildings shall be setback at least 3m from a boundary with a residential precinct or a public open space.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. the visual effects of the height, scale, location and appearance of the building, in terms of <ul style="list-style-type: none"> i. dominance; ii. loss of privacy on adjoining sites; and iii. any resultant shading effects.
49.5.43	<p>Residential Activities</p> <p>49.5.43.1 Outlook Space</p> <p>An outlook space that meets the following standards shall be provided from the face of a building containing windows to a habitable room in a residential unit:</p> <ul style="list-style-type: none"> a. Principal living room: <ul style="list-style-type: none"> Ground level (first storey) – N/A (see Rule 49.4.1) Second storey: 8m in depth and 4m wide Third storey: 10m in depth and 4m wide Fourth storeys and above: 12m in depth and 4m wide b. Principal bedroom: 3m in depth and 3m wide c. All other habitable rooms: 1m in depth and 1m wide <p>Notes:</p> <ul style="list-style-type: none"> i. Outlook spaces are to be the same height as the floor height of the building face to which it applies, with the depth to be measured at right angles from the window to which it applies. ii. Outlook spaces from different rooms within the same residential unit or residential flat may overlap. iii. Outlook spaces may be located within the site or over a public street, swale, or other public open space but not otherwise over another site. iv. Outlook spaces shall be clear and unobstructed by buildings. v. See diagram at Rule 49.5.23. <p>49.5.43.2 Outdoor Living Space</p> <p>Each residential unit shall have an outdoor living space that meets the following standards:</p> <ul style="list-style-type: none"> a. Ground level (first storey) – N/A (see Rule 49.4.1) b. Above ground level: Minimum area of – <ul style="list-style-type: none"> 1 bedroom unit: 8m² 	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. For both rules, Effects on residential amenity. b. For Rule 49.5.43.2, whether any lack of individual-units' outdoor living space is offset by the provision of communal outdoor open space, or internal communal facilities where the unit is within 100m of a public open space.

Table 3	Standards for activities located in the Commercial Precinct and the Glenpanel Precinct	Non-compliance status
	<p>2 bedroom unit: 10m² 3 or more-bedroom unit: 12m² with a minimum dimension of 1.5m.</p> <p>c. All outdoor living space shall be directly accessible from the residential unit.</p>	
49.5.44	<p>Education Activities</p> <p>The maximum gross floor area of a single Education Activity shall be 300m².</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. The scale of the activity, including effects on residential amenity; b. Effects on the transportation network; c. Effects on the vitality of the Commercial Precinct.
49.5.45	<p>Acoustic Insulation</p> <p>A mechanical ventilation system shall be installed for all critical listening environments in accordance with Table 5 in Chapter 36.</p> <p>All elements of the façade of any critical listening environment shall have an airborne sound insulation of at least 40 dB Rw + Ctr determined in accordance with ISO 10140 and ISO 717-1.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. The noise levels that will be received within the critical listening environments, with consideration including the nature and scale of the residential or visitor accommodation activity; b. The extent of insulation proposed; and c. Whether covenants exist or are being volunteered which limit noise emissions on adjacent site and/or impose no complaints covenants on the site.

Table 3	Standards for activities located in the Commercial Precinct and the Glenpanel Precinct	Non-compliance status
49.5.46	<p>Road noise – State Highway 6</p> <p>Any new buildings containing Activities Sensitive to Road Noise, located within:</p> <ul style="list-style-type: none"> a. 80m of the boundary of State Highway 6 where the speed limit is 70kmph or greater; or b. 40m of the boundary of State Highway 6 where the speed limit is less than 70kmph <p>shall be designed and constructed to ensure that the internal noise levels do not exceed 40dB LA_{eq(24h)} for habitable spaces.</p>	NC
49.5.47	<p>Lighting and Glare</p> <p>49.5.47.1 All exterior lighting, other than footpath or pedestrian link amenity lighting, installed on sites or buildings within the precincts shall be directed away from adjacent sites, roads and public places and directed downwards so as to limit the effects on views of the night sky.</p> <p>49.5.47.2 No activity in this zone shall result in a greater than 10 lux spill (horizontal or vertical) of light onto any property within the precincts, measured at any point inside the boundary of any adjoining property.</p> <p>49.5.47.3 No activity shall result in a greater than 3 lux spill (horizontal or vertical) of light onto any adjoining property which is zoned Residential measured at any point more than 2m inside the boundary of the adjoining property.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Effects of lighting and glare on amenity values; b. Effects of lighting and glare on the transportation network; and c. Effects of lighting and glare on the night sky.
49.5.48	<p>Minimum floor to floor height in the Commercial Precinct</p> <p>The minimum floor to floor height of the ground floor of buildings shall be 4m.</p>	D
49.5.49	<p>Verandas in the Commercial Precinct</p> <p>Every new, reconstructed or altered building with frontage to the Collector Road Type C as shown on the Structure Plan area shall include a veranda or other means of weather protection that has a minimum depth of 2.5m and a height of 3.5m above the pavement.</p>	<p>RD</p> <p>Discretion is restricted to the effects on pedestrian amenity</p>
49.5.50	<p>Staging development to integrate with transport infrastructure</p> <p>Development (except for utilities, the specified transport infrastructural works and other physical infrastructure) within the Sub-Areas shown on the Structure Plan shall not occur prior to all the corresponding transport infrastructural works for the Sub-Area listed below being completed.</p> <p>For the purposes of this rule, “completed” means when the works are physically completed and are able to be used for the intended purpose.</p> <p>For the purposes of this rule, “development” means a building for which a Code Compliance Certificate has been issued by the Council. Any application under Rules 49.4.4, 49.4.18, and any other application involving a building shall include a condition requiring that a Code Compliance Certificate under s92 of the Building Act 2004 shall not be applied for in respect of that building before the corresponding transport infrastructural works for the Sub-Area are completed.</p>	NC

Table 3	Standards for activities located in the Commercial Precinct and the Glenpanel Precinct	Non-compliance status								
	<table border="1"> <thead> <tr> <th>Sub-Area</th> <th>Transport infrastructural works</th> </tr> </thead> <tbody> <tr> <td>B</td> <td> <p>Bus stops on State Highway 6, west of the Stalker Road intersection (one on each side of SH6)</p> <p>Signalisation of Stalker Road / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads.</p> </td> </tr> <tr> <td>D</td> <td> <p>Signalisation of Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads.</p> <p>Bus Stops on State Highway 6, at Howards Drive intersection (one on each side of SH6)</p> <p>Except that in the case of the supermarket under Rule 49.4.14 the only transport infrastructural work that applies is:</p> <ul style="list-style-type: none"> Upgrades to the existing SH6 / Howards Drive intersection. </td> </tr> <tr> <td>B, D</td> <td> <p>Dedicated westbound bus lane on SH6 from (Howards Drive to Shotover Bridge (part of NZUP package)).</p> <p>Stalker Road northbound bus priority lane south of SH6</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p> </td> </tr> </tbody> </table>	Sub-Area	Transport infrastructural works	B	<p>Bus stops on State Highway 6, west of the Stalker Road intersection (one on each side of SH6)</p> <p>Signalisation of Stalker Road / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads.</p>	D	<p>Signalisation of Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads.</p> <p>Bus Stops on State Highway 6, at Howards Drive intersection (one on each side of SH6)</p> <p>Except that in the case of the supermarket under Rule 49.4.14 the only transport infrastructural work that applies is:</p> <ul style="list-style-type: none"> Upgrades to the existing SH6 / Howards Drive intersection. 	B, D	<p>Dedicated westbound bus lane on SH6 from (Howards Drive to Shotover Bridge (part of NZUP package)).</p> <p>Stalker Road northbound bus priority lane south of SH6</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p>	
Sub-Area	Transport infrastructural works									
B	<p>Bus stops on State Highway 6, west of the Stalker Road intersection (one on each side of SH6)</p> <p>Signalisation of Stalker Road / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads.</p>									
D	<p>Signalisation of Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads.</p> <p>Bus Stops on State Highway 6, at Howards Drive intersection (one on each side of SH6)</p> <p>Except that in the case of the supermarket under Rule 49.4.14 the only transport infrastructural work that applies is:</p> <ul style="list-style-type: none"> Upgrades to the existing SH6 / Howards Drive intersection. 									
B, D	<p>Dedicated westbound bus lane on SH6 from (Howards Drive to Shotover Bridge (part of NZUP package)).</p> <p>Stalker Road northbound bus priority lane south of SH6</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p>									
49.5.51	<p>Building Coverage</p> <p>Within the Glenpanel Precinct, the maximum building coverage shall be 50%.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> Building dominance; Design and integration of landscaping; The traffic effects associated with the additional building coverage. 								
49.5.52	<p>Landscaped permeable surface</p> <p>At least 20% of the site shall comprise permeable surface.</p>	NC								

Table 4	Standards for activities located in the Open Space Precinct	Non-compliance status
49.5.53	<p>Development shall be in accordance with the Structure Plan at 49.8, except the location of items identified with a * on the Structure Plan shall be in general accordance with the Structure Plan.</p>	NC

Table 4	Standards for activities located in the Open Space Precinct	Non-compliance status				
49.5.54	<p>Building Height</p> <p>Building height shall not exceed 12m, except that the maximum height of lighting structures shall be 23m.</p>	D				
49.5.55	<p>Lighting and Glare</p> <p>49.5.55.1 All exterior lighting, other than footpath or pedestrian link amenity lighting, installed on sites or buildings within the precincts shall be directed away from adjacent sites, roads and public places and directed downwards so as to limit the effects on views of the night sky.</p> <p>49.5.55.2 No activity in this zone shall result in a greater than 10 lux spill (horizontal or vertical) of light onto any property within the precincts, measured at any point inside the boundary of any adjoining property.</p> <p>49.5.55.3 No activity shall result in a greater than 3 lux spill (horizontal or vertical) of light onto any adjoining property which is zoned Residential measured at any point more than 2m inside the boundary of the adjoining property.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> Effects of lighting and glare on amenity values; Effects of lighting and glare on the transportation network; and Effects of lighting and glare on the night sky. 				
49.5.56	<p>Staging development to integrate with transport infrastructure</p> <p>Development (except for utilities, the specified transport infrastructural works and other physical infrastructure) within the Sub-Areas shown on the Structure Plan shall not occur prior to all the corresponding transport infrastructural works listed below being completed.</p> <p>For the purposes of this rule, “completed” means when the works are physically completed and are able to be used for the intended purpose.</p> <table border="1" data-bbox="334 1077 1089 1654"> <thead> <tr> <th data-bbox="334 1077 508 1129">Sub-Area</th> <th data-bbox="508 1077 1089 1129">Transport infrastructural works</th> </tr> </thead> <tbody> <tr> <td data-bbox="334 1129 508 1654">J1</td> <td data-bbox="508 1129 1089 1654"> <p>Signalisation of the Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads</p> <p>Bus Stops on SH6, at Howards Drive intersection (one on each side of SH6)</p> <p>Dedicated westbound bus lane on SH6 from Howards Drive to Shotover Bridge (part of NZUP package))</p> <p>Stalker Road northbound bus priority land south of SH6</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p> </td> </tr> </tbody> </table>	Sub-Area	Transport infrastructural works	J1	<p>Signalisation of the Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads</p> <p>Bus Stops on SH6, at Howards Drive intersection (one on each side of SH6)</p> <p>Dedicated westbound bus lane on SH6 from Howards Drive to Shotover Bridge (part of NZUP package))</p> <p>Stalker Road northbound bus priority land south of SH6</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p>	NC
Sub-Area	Transport infrastructural works					
J1	<p>Signalisation of the Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads</p> <p>Bus Stops on SH6, at Howards Drive intersection (one on each side of SH6)</p> <p>Dedicated westbound bus lane on SH6 from Howards Drive to Shotover Bridge (part of NZUP package))</p> <p>Stalker Road northbound bus priority land south of SH6</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p>					
49.5.57	<p>Building Coverage</p> <p>The total maximum ground floor area of all buildings is 500m².</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> Building dominance; Design and integration of 				

Table 4	Standards for activities located in the Open Space Precinct	Non-compliance status
		landscaping; c. The traffic effects associated with the additional building coverage.

Table 5	Standards for the Building Restriction Areas on land in any Precinct adjoining State Highway 6	Non-compliance status
49.5.58	<p>Building Restriction Areas adjoining State Highway 6</p> <p>The public access corridors within the Building Restriction Areas adjoining State Highway 6, as required by Rule 49.4.39 shall be occupied only by pedestrian footpaths, cycle facilities, landscaping, and in addition may be occupied by accessory signage, lighting or furniture as follows:</p> <p>a. Footpaths shall be continuous along the entirety of the State Highway 6 frontage (except in the case of Sub-Area H2 it only extends as far west as shown on the Structure Plan) and have a minimum width of 2m.</p> <p>b. Cycle facilities shall be continuous along the entirety of the State Highway 6 frontage (except in the case of Sub-Area H2 it only extends as far west as shown on the Structure Plan), be two-way, and have a minimum width of 3m.</p> <p>c. Footpaths and cycle facilities shall not be located closer than 2m to either the front (State Highway 6) or rear boundary of the Building Restriction Area, except for the purpose of tying into any adjoining footpath or cycle facility; providing access for pedestrians or cyclists to development; to or along a road or private way having the function of a road; or State Highway crossing point.</p>	NC

Rules – Non-notification of Applications

The following Restricted Discretionary activities shall not require the written approval of affected persons and shall not be notified or limited notified (except where the application involves any stormwater component):

49.6.1 Residential units pursuant to Rule 49.4.4, that comply with all standards.

49.6.2 Buildings for non-residential activities pursuant to Rule 49.4.17, that comply with all standards.

Note: any application involving the establishment or direct works of the Zone wide extreme weather event overland stormwater conveyance infrastructure shall be limited notified to Kāi Tahu and affected landowners in the catchment, unless written approval is provided.

49.7 Assessment Matters for Site and Building Design

49.7.1 In considering whether or not to grant consent and/or impose conditions on a resource consent, regard shall be had to the assessment matters set out below. The relevance of the considerations will vary from site to site.

a. Urban Form Character

Whether the design of the development is in keeping with, or complements, the scale and character of development anticipated for the Te Pūtahi Ladies Mile Zone and relevant significant natural, heritage and cultural features, through consideration of the extent to which the development:

- (i) Includes, where relevant, reference to the patterns of development in and/or anticipated for the Te Pūtahi Ladies Mile Zone such as building dimensions, forms, setbacks and alignments, and secondary materials, design features and vegetation;
- (ii) Retains or adapts features of the site that contribute significantly to local neighbourhood character, potentially including existing heritage items, site contours and mature trees and other vegetation; and
- (iii) Integrates with, protects and enhances the character and heritage values of the Glenpanel Homestead and wider setting with specific regard given to the Homestead, its grounds, and the existing driveway.

b. Relationship to the street and public open spaces

Whether the development engages with and contributes to the amenity, safety, attractiveness and vitality of adjacent streets and any other adjacent public open spaces, through consideration of the extent to which the development:

- (i) Orientates building frontages including entrances and windows to habitable rooms toward the street and adjacent public open spaces, or private ways having the function of a road;
- (ii) Designs buildings on corner sites to emphasise the prominence of these sites and the opportunity to create landmark buildings;
- (iii) Encourages 3-6 storey development fronting collector roads to respond to the larger scale of these streets, and to front open spaces to maximise access to recreation and nature;
- (iv) Avoids facades fronting streets and open spaces that are blank or dominated by garages; and
- (v) Ensure that buildings respond to the interface between adjoining sites, encouraging a soft transition between building heights.

c. Residential amenity

Whether the built form provides a high level of internal and external residential amenity for occupants and neighbours, through consideration of the extent to which the development:

- (i) Provides for outlook, sunlight and privacy through the site layout, and orientation and internal layout of residential units;
- (ii) Directly connects private outdoor spaces to the living spaces within the residential units;
- (iii) Ensures any communal private open spaces are accessible, usable and attractive for the residents of the residential units;
- (iv) Ensures the typologies and layouts of buildings proposed enable a balance of passive surveillance and privacy, including surveillance from ground floor level over roads, public or communal open spaces, and private ways having the function of a road;
- (v) Includes tree and garden planting particularly relating to the street frontage, outlook areas, boundaries, access ways, common spaces, and parking areas; and
- (vi) Ensure that buildings respond to the interface between adjoining sites, encouraging a soft transition between building heights.

d. Access, parking and servicing

Whether the development provides for active transport and good access and integration of space for any parking and servicing, through consideration of the extent to which the development:

- (i) Integrates access in a way that is safe for all users, and offers convenient access for pedestrians to the street or private way having the function of a road, any nearby parks or other public recreation spaces;
- (ii) Provides for any parking areas and garages in a way that does not dominate the development,

Particularly when viewed from the street or other public open spaces, or private ways having the function of a street; including a provision for underground or internal parking and storage of bikes, cars, and scooters where possible;

- (iii) Provides for suitable storage and service spaces which are conveniently accessible, safe and/or secure, and located and/or designed to minimise adverse effects on occupants, neighbours and public spaces;
- (iv) Addresses three waters infrastructure, in particular stormwater management;
- (v) Provides for appropriate emergency access onto the site that is clear, unobstructed, and visible; and
- (vi) In the case of private ways or Joint Owned Access Lots, clearly demarcates those spaces that are intended for private or resident use only such as a rear service lane (which subject to screening from public view only require functional standards of design), and those that also accommodate visitor or public (in particular pedestrian or cyclist) access (which require a high-quality design, and should demonstrate pedestrian-priority).

e. Safety

Whether the development incorporates Crime Prevention Through Environmental Design (CPTED) principles as required to achieve a safe, secure environment, through consideration of the extent to which the development:

- (i) Provides for views over, and passive surveillance of, adjacent public and publicly accessible private open spaces, and any communal spaces;
- (ii) Clearly demarcates boundaries of public and private space (in terms of both use and legal ownership);
- (iii) Makes pedestrian entrances and routes readily recognisable; and
- (iv) Provides for good visibility with clear sightlines and effective lighting.

f. Sustainability and resilience

Whether the development incorporates innovative design responses that are likely to create a benefit for the environment and contribute to the Kāi Tahu values set out in Policy 4.2.2.21.f, in the areas of carbon emission reductions, stormwater management and water quality, biodiversity, renewable energy, and energy efficiency, significantly beyond the minimum levels required by the Plan, through consideration of the extent to which the development:

- (i) Demonstrates design initiatives to reduce carbon emissions through reductions in:
 - embodied energy (e.g. materials and construction processes);
 - operational energy use (e.g. thermal performance, heating and cooling, waste minimisation including organics, transport emissions); and
 - end of life emissions (e.g. design for end of life reuse-recovery-recycle).
- (ii) Supports indigenous biodiversity by providing a diversity of indigenous vegetation species in the appropriate arrangement and location and considering the form and functioning of ecological corridors;
- (iii) Reduces operational water use through the inclusion of water efficient fixtures, and fittings, and onsite water retention and detention; and
- (iv) Includes the appropriate management of stormwater through water sensitive design and through the retention and treatment of stormwater, and integration with the stormwater system within the Zone and gives effect to the Guiding Principles for Stormwater Management set out in Chapter 27 Assessment Matters at 27.9.8.

g. Accessibility

Whether the development incorporates design responses that support universal accessibility, through consideration of the extent to which the development:

- (i) Provides a diversity of accessible housing types and associated common spaces (internal and external).
- (ii) Provides universal access to all buildings, where practicable.

- (iii) Provides universal access to public open spaces.
- (iv) Provides universal access street design.
- (v) Provides universal access to transport infrastructure including active transport, public transport, and mobility parks.
- (vi) Contributes to the provision of residential units meeting universal design standards as set out in NZS 4121:2001.

49.7.2 For any building containing commercial, retail or educational activities:

- a. A travel demand management plan (Residential, Workplace or School Travel Plan), is to be prepared in conjunction with the Council, that includes:
 - i. An assessment of actual mode share of travel and operational and management measures to be implemented to reduce private vehicle trips and to facilitate active and public transport, including to and from educational activities;
 - ii. Key performance targets; and
 - iii. Monitoring and reporting methods.

49.8 Structure Plan

Urban Development

...

4.2 Objectives and Policies

...

4.2.2.21 Ensure that development within the Te Pūtahi Ladies Mile Zone provides for:

- a. an urban development with a strong community identity and sense of place by enabling community activities, including education activities, a commercial centre that meets needs of local residents, and connections to the surrounding landscape and residential communities;
- b. high and medium density residential development to enable diversity of housing choice through different typologies to contribute to increased supply of housing and affordable homes;
- c. integration of key roading north of the State Highway with existing intersections serving development south of the State Highway to encourage connectivity, including walking and cycling trips, between the south and north sides of the State Highway;
- d. reduced reliance on travel by private vehicle through promotion of public and active transport; and
- e. Kāi Tahu values, including through:
 - i. Incorporating climate change mitigation and adaptation within design;
 - ii. Protecting the mauri of water with water sensitive design, incorporating on-site management of stormwater and requirement for permeable surfaces, utilising reticulated systems for potable supply and wastewater, incorporating onsite water retention and reducing operational water use;
 - iii. Preferring the use of indigenous vegetation that naturally occurs and/or previously occurred in the area as part of landscape design, including species preferred by indigenous birds; and
 - iv. Incorporating reference to Kāi Tahu values in design where appropriate.

7 Lower Density Suburban Residential

...

7.2 Objectives and Policies

Policies

...

- 7.2.1.8A Within the Queenstown Country Club Village site, provide for:
- (a) retirement village housing within 75m of State Highway 6 and outside the Building Restriction Area adjacent to State Highway 6, where the layout, scale, form, and density of development retains a level of spaciousness, is consistent with the character of the Queenstown Country Club, maintains views to the wider ONLs, and addresses the public realm.

...

7.4 Rules – Activities

Rules – Activities		
...		
7.4.11	Retirement Villages Except this rule shall not apply to buildings that are Restricted Discretionary activities under Rule 7.4.23A.	D
...		
7.4.23A	<p>Queenstown Country Club (west of Howards Drive, Ladies Mile)</p> <p>7.4.23A.1 Buildings within 75m of the boundary with the highway and outside the Building Restriction Area</p> <p>7.4.23A.2 Buildings within 20m of the Howards Drive Road Boundary</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Location, external appearance, site layout and design of buildings and how the development addresses its context to contribute positively to the character of the area and the highway frontage; b. Scale, form, density and separation between buildings to maintain a sense of spaciousness when viewed from the highway and to maintain views to the wider ONLs from the highway; c. The activation of the highway frontage and avoidance of the rear of buildings facing the highway; d. Design and integration of landscaping and fencing; e. Infrastructure, access and parking design; including the avoidance of parking areas located between buildings and the highway; f. Stormwater management. <p>Information requirements:</p> <ul style="list-style-type: none"> a. Applications for resource consent shall contain a design statement describing how the proposed building location and appearance achieves the matters of discretion and is commensurate with existing buildings within the Queenstown Country Club. 	RD

<p>7.4.23B</p>	<p>Within the Te Pūhahi Ladies Mile Structure Plan area, staging development to integrate with transport infrastructure.</p> <p>Development (except for utilities, the specified transport infrastructural works and other physical infrastructure) within the Te Pūhahi Ladies Mile Sub-Areas shown on the Structure Plan shall not occur prior to all the corresponding transport infrastructural works for the Sub-Area listed below being completed.</p> <p>For the purposes of this rule, “completed” means when the works are physically completed and are able to be used for the intended purpose.</p> <p>For the purposes of this rule, “development” means a building for which a Code Compliance Certificate has been issued by the Council. Any application involving a building shall include a condition requiring that a Code Compliance Certificate under s92 of the Building Act 2004 shall not be applied for in respect of that building before the corresponding transport infrastructural works for the Sub-Area are completed.</p> <table border="1" data-bbox="342 657 1149 1199"> <thead> <tr> <th data-bbox="342 657 508 709">Sub-Area</th> <th data-bbox="508 657 1149 709">Transport infrastructural works</th> </tr> </thead> <tbody> <tr> <td data-bbox="342 709 508 1199">G2</td> <td data-bbox="508 709 1149 1199"> <p>Eastern Roundabout on SH6</p> <p>Bus stops on SH6 west of the Eastern Roundabout (one on each side of SH6)</p> <p>At grade signalised pedestrian / cycle crossing of SH6 west of the Eastern Roundabout</p> <p>Dedicated westbound bus lane on SH6 (Howards Drive to Eastern roundabout (not included in the NZUP package))</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of the NZUP package)</p> </td> </tr> </tbody> </table>	Sub-Area	Transport infrastructural works	G2	<p>Eastern Roundabout on SH6</p> <p>Bus stops on SH6 west of the Eastern Roundabout (one on each side of SH6)</p> <p>At grade signalised pedestrian / cycle crossing of SH6 west of the Eastern Roundabout</p> <p>Dedicated westbound bus lane on SH6 (Howards Drive to Eastern roundabout (not included in the NZUP package))</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of the NZUP package)</p>	<p>NC</p>
Sub-Area	Transport infrastructural works					
G2	<p>Eastern Roundabout on SH6</p> <p>Bus stops on SH6 west of the Eastern Roundabout (one on each side of SH6)</p> <p>At grade signalised pedestrian / cycle crossing of SH6 west of the Eastern Roundabout</p> <p>Dedicated westbound bus lane on SH6 (Howards Drive to Eastern roundabout (not included in the NZUP package))</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of the NZUP package)</p>					
<p>7.5 Rules – Standards</p>						
<p>7.5.1</p>	<p>Building Height (for flat sites)</p> <p>7.5.1.1 Wānaka and Hāwea: Maximum of 7 metres.</p> <p>7.5.1.2 Arrowtown: Maximum of 6.5 metres.</p> <p>7.5.1.3 Kawarau Heights: Maximum of 4.5m and 6m as identified on the Structure Plan in 27.13.15.</p> <p>7.5.1.4 All other locations except buildings within the Queenstown Country Club: Maximum of 8 metres.</p> <p>Queenstown Country Club</p> <p>7.5.1.4A Within 75m of the boundary with SH6: Maximum 6m</p> <p>7.5.1.4B Beyond 75m of the boundary with SH6: Maximum of 8m</p>	<p>NC</p>				
<p>7.5.11</p>	<p>Density</p> <p>The maximum site density shall be:</p> <ul style="list-style-type: none"> i. one residential unit or dwelling per 300m² net site area, or ii. one residential unit or dwelling per 800m² net site area at Lake Hāwea South within Area B as identified in the Structure Plan in 27.13.19. 	<p>NC</p>				

	Except this rule does not apply to the Queenstown Country Club.	
7.5.11A	<p>Maximum number of residential units</p> <p>7.5.11A.1 Queenstown Country Club within 75m of the boundary of SH6 – A maximum of 42 units.</p>	NC
7.5.11B	<p>Maximum Floor Area</p> <p>7.5.11B.1 Queenstown Country Club within 75m setback from the boundary with the highway – individual buildings shall have a maximum floor area of 310m².</p>	D

Local Shopping Centre Zone

...

15.2 Objectives and Policies

...

15.2.2.7 In the Te Pūtahi Ladies Mile Structure Plan area, require resource consents to also be considered in terms of the relevant policies of that Zone, and for development to be undertaken in a manner that is consistent with the Structure Plan.

15.4 Rules - Activities

...

15.4.0.1 In the Te Pūtahi Ladies Mile Structure Plan area, irrespective of the activity status identified in the activity table below, any application for resource consent shall also be subject to the following, which shall be treated as reservations of control (for controlled activities), restrictions of discretion (for restricted discretionary activities), or assessment matters (for others):

- (a) Consistency with the Te Pūtahi Ladies Mile Structure Plan.
- (b) Any relevant Te Pūtahi Ladies Mile zone objectives listed at 49.2.1; 49.2.6; 49.2.7; or 49.2.8 and their allied policies.
- (c) The maximisation of residential density, affordability, and (at higher densities than suburban) choice above the ground floor level.
- (d) Provision of positive effects including environmental benefits and the performance of infrastructure.
- (e) Maximisation of pedestrian-priority, high-amenity, and active frontages along streets, open spaces, and private ways having the function of a road.

...
15.4.17	<p>Within the Te Pūtahi Ladies Mile Structure Plan area:</p> <p>(a) supermarkets, department stores, other Large Format Retail, or Service Stations; and</p> <p>(b) north of SH6 greater than 1,500m² gross floor area of all local shopping centre activities on a cumulative basis.</p>	NC
15.4.18	<p>Within the Te Pūtahi Ladies Mile Structure Plan area, staging development to integrate with transport infrastructure</p> <p>Development (except for utilities, the specified transport infrastructural works and other physical infrastructure) within the Te Pūtahi Ladies Mile Sub-Areas shown on the Structure Plan shall not occur prior to all the corresponding transport infrastructural works for the Sub-Area listed below being completed.</p> <p>For the purposes of this rule, “completed” means when the works are physically completed and are able to be used for the intended purpose.</p> <p>For the purposes of this rule, “development” means a building for which a Code</p>	NC

Compliance Certificate has been issued by the Council. Any application involving a building shall include a condition requiring that a Code Compliance Certificate under s92 of the Building Act 2004 shall not be applied for in respect of that building before the corresponding transport infrastructural works for the Sub-Area are completed.		
Sub-Area	Transport infrastructural works	
J2	<p>Signalisation of the Howards Drive / SH6 intersection, including at-grade pedestrian and cycle crossings across both roads</p> <p>Bus Stops on SH6 at Howards Drive intersection (one on each side of SH6)</p> <p>Dedicated westbound bus lane on SH6 from {Howards Drive to Shotover Bridge (part of NZUP package))</p> <p>Stalker Road northbound bus priority land south of SH6</p> <p>SH6 eastbound bus lane from SH6A to Hawthorne Drive and SH6 westbound bus lane from Hardware Lane to SH6A (part of NZUP package)</p> <p>A sealed footpath along Howards Drive from SH6 to Jones Road</p>	
A2	As for Sub Area A in Rule 49.5.33	

...

15.5 Rules – Standards

	Standards for activities located in the Local Shopping Centre Zone	Non-compliance status
15.5.2	<p>Setbacks and Sunlight Access – sites adjoining any Residential zone, Settlement Zone or public open space and in the Te Pūtahi Ladies Mile Structure Plan area, sites adjoining a State Highway 6 Building Restriction Area</p> <p>...</p> <p>c. In the Te Pūtahi Ladies Mile Structure Plan area:</p> <p>i. Within the identified 10m-deep State Highway 6 Building Restriction Area: Rule 49.5.0.3 applies.</p> <p>ii. At the northern (outer) edge of the State Highway 6 Building Restriction Area: 0m.</p>	RD

Earthworks

...

25.5 Rules - Standards

	Table 25.2 – Maximum Volume	Maximum Total Volume
...
25.5.5	Queenstown Town Centre Zone Wanaka Town Centre Zone Te Pūtahī Ladies Mile Zone Local Shopping Centre Zone ...	500m ³

Subdivision and Development

...

27.3 Location-specific objectives and policies

...

Te Pūtahi Ladies Mile Zone and the Local Shopping Centre Zone located within the Te Pūtahi Ladies Mile Structure Plan area

- 27.3.24 Objective – Urban development comprising a mix of housing, commercial centres, schools, ecological corridors and areas for stormwater management, and open spaces for active and informal recreation, and a network of walkways and cycleways, that:**
- a) integrates with existing urban development and the surrounding landscapes; and**
 - b) brings about a significant modal shift away from reliance on the private car to enhanced use of public and active transport; and**
 - c) creates a community with a strong sense of place and a unique built form character within the District.**

Policies

- 27.3.24.1** Require that subdivision and development is undertaken in accordance with the Te Pūtahi Ladies Mile Structure Plan (Schedule 27.13.XX) to promote the integrated, efficient and co-ordinated location of activities, primary roading, key intersections, open spaces, green networks, stormwater management, and walkway / cycleway routes.
- 27.3.24.2** Enable flexibility of allotment sizes to ensure that scarce land resources are utilised efficiently for medium and higher density residential activities and, in the Commercial and Glenpanel Precincts, to enable a range of non-residential activities.
- 27.3.24.3** Require a range of open spaces and facilities including:
- a. Sports grounds (for active and informal recreation) and associated community activities;
 - b. Local parks for informal recreation;
 - c. A network of walkways and cycleways throughout the Structure Plan area integrating development with Lake Hayes, the Shotover River, the adjacent Ladies Mile suburban settlements, Frankton and the Wakatipu Trails network;
 - d. A coherent and consistent landscaped setback adjacent to State Highway 6 (Amenity Access Area) that maintains the key elements of the gateway experience including significant views; and
 - e. Areas that function as ecological corridors and stormwater management areas, as part of a wider blue-green network.
- 27.3.24.4** Require subdivision design to achieve a high quality of urban form by:
- a. Avoiding the creation of rear lots and cul-de-sacs unless walking and cycling links provide additional connections to streets;
 - b. Encouraging a predominantly north-south street layout to achieve residential amenity through solar gain and improved visual connections to surrounding landscapes;
 - c. Providing visual links, predominantly by way of road placement, north to open spaces at the base of Slope Hill and the Slope Hill ONF when viewed from the intersections on State Highway 6 shown on the Structure Plan;
 - d. Design allotments, blocks, and movement corridors so as to maximise the efficient and convenient opportunity for subsequent development to integrate with, and provide passive surveillance of, streets and public spaces, and any private ways having the function of a road;
 - e. Encouraging integrated applications for subdivision and land use for medium and high density

residential development proposals; and

- f. In the case of private ways or Joint Owned Access Lots, clearly demarcating those spaces that are intended for private or resident use only such as a rear service lane (which subject to screening from public view only require functional standards of design), and those that also accommodate visitor or public (in particular pedestrian or cyclist) access (which require a high-quality design, and should demonstrate pedestrian-priority).

27.3.24.5 Provide for a safe and efficient transport network that:

- a. Avoids new access onto the State Highway other than the intersections shown on the Te Pūtahi Ladies Mile Structure Plan (Schedule 27.13.19);
- b. Ensures that public transport and waste collection can be efficiently and effectively provided within the roading network or in the case of waste collection, private rear service lanes;
- c. Integrates key roads north of the State Highway with existing and planned intersections serving development south of the State Highway, and provides safe pedestrian and cycleway crossings of the State Highway, to encourage connectivity between the south and north sides of the State Highway;
- d. Ensures that the standard and layout of internal road connections account for long-term traffic demand without the need for subsequent retrofitting or upgrade; and
- e. Prioritises the safe and efficient movement of walking, cycling, and public transport routes over private vehicular use.

27.3.24.6 Manage subdivisions (including in terms of staging and restrictions on subsequent development) so as to support and complement the specific transport infrastructural works required for Sub Areas A - I in Rules 49.5.10, 49.5.33, 49.5.50 and 49.5.56 (and as referenced in Rule 15.4.18).

27.3.24.7 Require the mauri and health of fresh water to be sustained and enhanced by subdivision design that avoids the adverse effects of stormwater on Waiwhakaata Lake Hayes, and requires:

- a. An integrated stormwater management system for the entirety of the TPLM Zone (excluding Sub-Area K) and Local Shopping Centre Zone north of State Highway 6 and the contributing Slope Hill catchment; and
- b. Soakage to ground of runoff generated by the 1% AEP event for development in the TPLM Zone and the Local Shopping Centre Zone north of State Highway 6; and
- c. For the contributing Slope Hill catchment, soakage to ground of runoff generated by the 1% AEP event or as close as possible to the 1% AEP event; and
- d. The design of stormwater management systems to avoid stormwater discharges (other than coordinated overland flow) to Waiwhakaata Lake Hayes.

27.3.24.7A Avoid the adverse effects of discharges to the Shotover and Kawarau Rivers, the State Highway network, groundwater resources, and to neighbouring sites.

27.3.24.7B Ensure staged subdivisions that create balance or bulk lots are designed with connections to a reticulated water supply, stormwater disposal and/or sewage treatment and disposal system that are of sufficient capacity for the intended future urban development.

	Subdivision Activities – District Wide	
27.5.7	<p>...</p> <p>7. Local Shopping Centre excluding the Local Shopping Centre Zone located within the Te Pūtahi Ladies Mile Structure Plan area.</p> <p>...</p>	

...

27.6 Rules – Standards for Minimum Lot Areas

No lots to be created by subdivision, including balance lots, shall have a net site area or where specified, an average net site area less than the minimum specified.

Zone		Minimum Lot Area
...		
Local Shopping Centre excluding the Local Shopping Centre Zone located within the Te Pūtahi Ladies Mile Structure Plan area		No Minimum
...		
Te Pūtahi Ladies Mile Zone and the Local Shopping Centre Zone within the Te Pūtahi Ladies Mile Structure Plan area	Low Density Residential Precinct	300m ²
	Low Density Residential Precinct sites that utilise Rule 49.5.6.5	200m ²
	All other Precincts and the Local Shopping Centre Zone	No minimum

...

27.7 Zone – Location Specific Rules

Zone		Activity Status
27.7.1	<p>Subdivision consistent with a Structure Plan that is included in the District Plan (except that this rule does not apply to Structure Plan 27.13.7 Criffel Station, 27.3.9 at Frankton North, 27.13.13 Connell Terrace, 27.13.14 Ballantyne Road and 27.13.19 Te Pūtahi Ladies Mile Zone).</p> <p>...</p>	C
...
27.7.28	<p>Te Pūtahi Ladies Mile Zone and the Local Shopping Centre Zone within the Te Pūtahi Ladies Mile Structure Plan area</p> <p>27.7.28.1 Subdivision of land within the Te Pūtahi Ladies Mile Zone or the Local Shopping Centre Zone within the Te Pūtahi Ladies Mile Structure Plan area</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. the matters contained in Rule 27.5.7; b. the spatial layout of the subdivision, and its relationships to and integration with other sites and development, taking into account the location of: <ul style="list-style-type: none"> i. Roads, walkways and cycleways throughout the Sub-Area including Indicative Roads as shown on the Structure Plan and where these will connect to adjoining sites and (where relevant) neighbouring Sub-Areas and (where relevant) State Highway 6, including intersection layout and design and in the case of Sub-Area K the effect of any road on the natural character of the escarpment and Shotover River; ii. Open spaces and blue-green or ecological corridors, and their intended function(s), including those open spaces and blue-green corridors required by the Structure Plan, Indicative Parks as shown on the Structure Plan, and any additional open spaces necessary to serve the future needs of the site and the wider Sub-Area; iii. Three waters infrastructure, including the retention and treatment of stormwater, and integration with the stormwater system within the Zone; iv. Heritage and archaeological values, specifically with regard to how the subdivision design integrates with and enhances the character of the Glenpanel Precinct and wider setting; v. The intended function of all private ways or Joint Owned Access Lanes (particularly in terms of whether the space is intended to accommodate public access to any residential units' front door or remain for fully private rear or servicing access only), and how the design, and visual appearance of the space is appropriate for that function including how future development will be accessed and serviced c. how the subdivision design will enable the achievement of the minimum residential density requirements set out in the relevant Zone provisions; ca. how the subdivision design will enable buildings and development that achieves the development standards for the relevant Precinct 	RD

Zone		Activity Status
	<p>or Local Shopping Centre Zone.</p> <ul style="list-style-type: none"> d. the methods proposed for ensuring that building typologies provide for a diversity of housing choice (taking into account the zoning of the land). e. within Sub-Areas B and C, the impact of development on existing established trees identified on the Structure Plan; f. within Sub-Area A and K, the establishment of the “Landscape Buffer Area” shown on the Structure Plan, and the methods to ensure it is maintained in perpetuity; g. within Sub-Area H1, the impact on Sub-Area H2 of landscaping within the 6m setback from the boundary with Sub-Area H2 and methods to ensure that shading effects from landscaping are minimised; h. Ensuring the subdivision provides for, supports and complements transport infrastructural works to be established as identified in Rules 49.5.10, 49.5.33, 49.5.50, 49.5.56 and 15.4.18. i. The integration of the subdivision layout and potential future development with the Key Crossing. ia. How the stormwater management proposed for the subdivision will be managed as part of an integrated stormwater management system for the TPLM Zone and Local Shopping Centre Zone north of SH6 to achieve soakage to ground for the 1% AEP event, including management of overland flow paths and levels of ground surfaces to facilitate the system integration and any legal mechanisms required to achieve integration; ib. How a fully integrated stormwater management solution for Slope Hill is to be coordinated via swales for conveyance and soakage to capture and dispose of stormwater on the Slope Hill side of the collector road for the 1% AEP event, or as close as possible to the 1% AEP event, including coordinated overland flow paths to ensure no adverse effects on downstream properties and any legal mechanisms required to achieve integration. ic. For bulk lot or staged subdivision, the provision of infrastructure servicing (access and all utilities) to each lot that is of sufficient capacity and size to accommodate the zoned development potential, and allows connection of the services associated with the future development that the bulk lot provides for, including provision of legal access arrangements where relevant. ie How the subdivision configures allotments and/or access spaces to integrate with and maximise the quality of the State Highway 6 Building Restriction Areas shown on the Zoning plan, including whether the Building Restriction Areas themselves remain in private ownership or are vested in Council. <p>Information requirements:</p> <ul style="list-style-type: none"> a. A statement demonstrating how the subdivision layout will enable: <ul style="list-style-type: none"> i. the densities expected in the relevant Precinct; and ii. diversity of future building typologies on the sites created by the subdivision, to offer maximum choice for residential or business owners or tenants, and any methods (including by way of consent notices on the titles to be created, or other instrument) to ensure such diversity; and 	

Zone		Activity Status
	<p>iii. buildings and development that will achieve the development standards for the relevant Precinct of Local Shopping Centre Zone.</p> <p>b. A statement, supporting plans, specifications (and modelling when required) with a level of detail as necessary to demonstrate how the stormwater management proposed will be managed as part of an integrated stormwater management system for the TPLM Zone and Local Shopping Centre Zone north of SH6, including:</p> <p><i>Catchment modelling and technical information</i></p> <p>i. A pre-development catchment-wide (encompassing Slope Hill and the full TPLM Zone and Local Shopping Centre Zone) hydraulic model for all critical design storms up to and including the 1% AEP event. The hydraulic model is to be produced in accordance with the QLDC Code of Practice Section 4.3.5 Design Criteria and the QLDC Stormwater Modelling Specification. Surface infiltration tests are necessary across the TPLM Zone and Local Shopping Centre Zone north of SH6 to calibrate the model for pre-development infiltration rates.</p> <p>ii. Predicted post-development hydraulic model update demonstrating how the stormwater management system(s) proposed in the application will:</p> <ul style="list-style-type: none"> • achieve or contribute to a fully integrated stormwater management system for the Zone; and • achieve soakage to ground of runoff generated for the 1% AEP event (or for the contributing Slope Hill catchment soakage to ground for the 1% AEP event or as close to possible to the 1% AEP); <p>iii. how the stormwater management system(s) have been designed considering climate change adjusted rainfall (RCP 6-8.5 for the period 2081-2100);</p> <p><i>Integration</i></p> <p>iv. the manner by which the system within the land subject to the application will:</p> <ul style="list-style-type: none"> • contribute to a fully integrated stormwater management solution for the TPLM Zone and Local Shopping Centre Zone north of SH6 (including Slope Hill); • be coordinated across development blocks with reference to the Guiding Principles for Stormwater Management; • minimise the number of stormwater facilities (detention basins, and/or soakage devices and/or including underground chambers) across the TPLM Zone and Local Shopping Centre Zone north of SH6; • integrate with the system on adjoining or nearby land within the same catchment or sub-catchment, and where stormwater management devices can be shared for development across multiple properties; <p>v. the manner by which land owned by the Applicant along the toe of Slope Hill will be made available for stormwater management;</p> <p>vi. the easements to be provided as required for new stormwater trunks and swales crossing private property;</p> <p>vii. How co-ordinated overland flow paths through the developments will be provided to ensure no adverse effects on upstream or downstream properties; and</p> <p><i>Treatment</i></p> <p>viii. how pre-treatment of Slope Hill Runoff and treatment of first flush from</p>	

Zone		Activity Status
	<p>roads, carparks etc will be provided to ensure longevity of soakage devices.</p> <p>ba. Applications for staged subdivisions involving the creation of larger balance or 'bulk' lots intended for future subdivision and/or development shall demonstrate (by way of technical assessments and Three Waters modelling) infrastructure servicing for access and all utilities that is sufficient to cater for the anticipated, zoned land use and density capacity that the lot provides for, including:</p> <ul style="list-style-type: none"> i. Provision for access approvals or legal instruments necessary for the provision of infrastructure services to the bulk lots; ii. Methods to integrate with existing or adjacent developments; iii. Consideration and contribution to (where appropriate) infrastructure that is necessary to both service the development but may also benefit or service the wider community and future development on adjoining or nearby land where subdivision and/or development of that land would rely on the bulk lots for infrastructure. <p>bb. Within Sub-Area K a landscape management plan that ensures that future residential units will integrate with the landscape of nearby zones, and the surrounding landscape:</p> <ul style="list-style-type: none"> i. Location of future buildings and the appropriateness of lot sizes along the escarpment edge; ii. The heritage setting of the Ferry Hotel, and the Old Shotover Bridge and how the development in Sub-Area K can be appropriately screened and softened and the location, spacing and type of planting to achieve that. iii. The location, spacing and type of planting to be located within Sub-Area K2 to achieve screening and softening of the development when viewed from State Highway 6 looking east. iv. The location, spacing and type of planting to be located on the escarpments within sub-area K. v. The staged removal of wilding plant species within sub-area K and their replacement with non-wilding vegetation spacing and type. vi. The location, spacing and type of planting in the open space zone, along the local road, in stormwater flow paths, soakage areas and swales, and along any active transport link. <p>27.7.28.2 Subdivision that is inconsistent with Structure Plan in 27.13.19, except as set out in Rule 49.5.15.</p>	<p>NC</p>

27.9 Assessment Matters for Resource Consents

27.9.8 Restricted Discretionary Activity – Subdivision Activities within the Te Pūtahi Ladies Mile Zone and the Local Shopping Centre Zone within the Te Pūtahi Ladies Mile Structure Plan area

In considering whether or not to grant consent or impose conditions in respect to subdivision activities under Rule 27.7.28.1, the Council shall have regard to the following assessment matters:

27.9.8.1 Assessment Matters in relation to Rule 27.7.28.1

- a. The matters identified under Rule 27.9.3.1 as it applies to the Te Pūtahi Ladies Mile Zone and Local Shopping Centre Zone within the Te Pūtahi Ladies Mile Structure Plan area.
- b. The extent to which a development provides logical integration of infrastructure, including roading (including walking and cycling networks), parks and open spaces within the Sub Area and, where relevant, adjoining Sub-Areas taking into account the relevant matters in (c) below.
- c. The extent to which:
 - i. the configuration of sites is suitable for future development:
 - (a) to accommodate development intended by the Zone, including the development standards for built development and the required residential densities in the relevant Precinct;
 - (b) that encourages integration with, and passive surveillance over, streets and public spaces;
 - (c) to enable sunlight access to future residential units;
 - (d) to ensure safe, legible and convenient pedestrian, cycling and vehicle access, including through limiting block lengths and provision for clear and unobstructed emergency access;
 - (e) that avoids the use of cul-de-sac roads or private ways unless these are short (less than 50m) or walking and cycling connections are provided to other streets;
 - (f) that encourages interaction with, and visual surveillance over, the State Highway through considering the future layout and orientation of adjacent sites and their likelihood to result in direct pedestrian link to the State Highway, or a road or private way, or the use of detailed façades and direct or gated access from a State Highway-fronting yard.
 - ii. the subdivision design provides for:
 - (a) development of reserves and public open spaces which are suitably located, sized and designed for the intended function;
 - (b) coordinated and appropriately designed and located infrastructure consistent with Council standards, including the provision of a contribution to the upgrade of existing infrastructure to accommodate future development where appropriate;
 - (c) the appropriate management of stormwater through an integrated management system for the TPLM Zone and Local Shopping Centre Zone land north of SH6, through water sensitive design and through the retention and treatment of stormwater, and integration with the stormwater system within the Zones, taking into account the Guiding Principles for stormwater management in the TPLM Zone, Local Shopping Centre zone within the Te Pūtahi Ladies Mile Structure Plan area, and the QLDC Engineering Code of Practice;
 - (ca) a stormwater management system which will achieve soakage to ground of runoff generated by the 1% AEP event, and for the contributing Slope Hill catchment the 1% AEP event, or as close as possible to the 1% AEP event.
 - (d) the retention of mature existing vegetation, including those identified as “Existing Trees to be retained” on the Structure Plan and other specimen trees where this is practicable and does not compromise the efficient use of the land or achievement of required housing densities, and the introduction of indigenous vegetation (preferably that naturally occurs and/or previously occurred in the area), to contribute to the character and amenity of the future development;

- (e) existing natural and cultural features to be accessible to the public and, where appropriate, form prominent features within the overall design;
- (f) A layout that will achieve the density required in the residential precincts as set out in Rules 49.5.12, taking into account the information requirements in Rule 27.7.28.1, including whether any design parameters are to be secured through an appropriate legal mechanism;
- (g) Diversity of (a greater densities than suburban) housing choice, including whether any parameters relating to building typologies are to be secured through an appropriate legal mechanism.
- (h) A layout that protects, maintains or enhances indigenous biodiversity.
- (i) Applications for staged subdivisions involving the creation of larger 'bulk' lots intended for further subdivision and/or development in the future demonstrate infrastructure servicing (access and all utilities) that is sufficient for the zoned development potential of all of the "bulk" lots to be created, to ensure the land is able to be serviced and developed for the anticipated, zoned land use and density capacity, including:
 - (i) Provision for access approvals or legal instruments necessary for the provision of infrastructure services to the bulk lots;
 - (ii) Methods to integrate with existing or adjacent developments;
 - (iii) Consideration and contribution to (where appropriate) infrastructure that is necessary to both service the development but may also benefit or service the wider community and future development on adjoining or nearby land where subdivision and/or development of that land would rely on the bulk lots for infrastructure.

Guiding Principles for stormwater management in the TPLM Zone and Local Shopping Centre Zone within the Te Pūtahi Ladies Mile Structure Plan area:

In conjunction with the requirements in the Code of Practice, the following stormwater guidelines will be applied:

Water sensitive design

- a. Utilise stormwater management solutions that mimic the natural water cycle and enhance the water quality;
- b. Employ an integrated stormwater management approach that supports connectivity to the natural environment and gives effect to Te Mana o te Wai and the community wellbeing;
- c. Manage flooding and surface water flow to safeguard the community and infrastructure in a sustainable manner;
- d. Replicate the hydrological regime in the area such that the maximum rate of discharge and peak flood levels post development are no greater than pre-development;
- e. Align 'blue' stormwater solutions and the wider 'green' landscape and open space strategies wherever possible.

Design standards

- f. Ensure that there is a maximum 24-hour drain-down for any attenuation systems basis/soak pits for 1% AEP events;
- g. Avoid direct discharges from the development area into Lake Hayes (other than overland flow in extreme weather events);
- h. Manage road runoff through appropriate treatment device(s);
- i. Construct stormwater devices to capture, treat and discharge runoff from the catchment of the device.

Integration

- j. Avoid a proliferation of multiple stormwater management systems and devices. Depending on location and land ownership structures this may necessitate co-operation of multiple landowners to ensure an acceptable approach;
- k. Legal mechanisms to achieve an integrated stormwater system across legal boundaries.

Overland flow

- l. Land to the north of and adjacent to Collector Road A is used as a swale to collect, treat and discharge runoff from Slope Hill to ground and allow for overland flow in the Te Putahi Ladies Mile Zone and Local Shopping Centre Zone within the Te Pūtahi Ladies Mile Structure Plan area to be directed towards Lake Hayes in extreme rainfall events greater than 1% AEP;
- m. Additional overland flows may be required;
- n. That there are no overland flows across SH6 for 1% AEP events or less;
- o. That there are no overland flows from attenuation systems or soak pits for 1% AEP events or less unless there is a defined and acceptable overland flow path;
- p. Overland flow paths from Slope Hill are co-ordinated through the TPLM Variation Area.

27.10 Rules – Non-Notification of Applications

Applications for all controlled and restricted discretionary activities shall not require the written approval of other persons and shall not be notified or limited notified except:

...

- a. For applications within Te Pūtahi Ladies Mile Zone and Local Shopping Centre zone within the Te Pūtahi Ladies Mile Structure Plan area.

Any application involving the establishment or direct works of the Zone wide overland stormwater flow path infrastructure shall be limited notified to Kāi Tahu and affected landowners in the catchment, unless written approval is provided.

27.13 Structure Plans

...

27.13.19 Te Pūtahi Ladies Mile Structure Plan

[insert Structure Plan]

Transport

...

29.5 Rules – Standards for activities outside roads

	Table 29.3 –Standards for activities outside roads	Non-Compliance status
...
29.5.5	Dropoff/ pick up (set down) areas in all zones except in the Queenstown Town Centre Zone, the Wanaka Town Centre Zone, the Arrowtown Town Centre Zone, and within the Te Pūtahi Ladies Mile Zone ...	RD ...
...	...	
29.5.12A	<p>Maximum Parking Requirements</p> <p>On land located in the Te Pūtahi Ladies Mile Zone, the number of parking spaces shall not exceed the following rates:</p> <p>Offices – 1 per 50m² GFA Retail – 1 per 50m² GFA Education – 0.5 per FTE employee plus 1 visitor space per classroom Supermarket – 1 per 25m² GFA Activities not listed – no maximum</p> <p>Except that this rule will not apply to mobility spaces</p> <p>Note: Maximum parking rates are to be calculated cumulatively.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> The adequacy of parking for the activity; Effects on residential intensification and urban design; and Effects on the transportation network, including on the uptake of public and active transport modes.
...	...	

	Table 29.3 –Standards for activities outside roads	Non-Compliance status
29.5.24	<p>Roading and access within the Te Pūtahi Ladies Mile Zone</p> <p>29.5.24.1 There shall be no direct property access for vehicles from the collector road Type A on the Structure Plan to land located north of the road except where such direct property access already exists as at 9 June 2023 for the purpose of access to the Navigational Aid on Slope Hill.</p> <p>29.5.24.2 New roads connecting collector road Type A identified on the Structure Plan to land located north of the road shall not exceed a frequency of more than one every 120m.</p> <p>29.5.24.3 New roads connecting collector road Type A identified on the Structure Plan to land located south of the road shall not exceed a frequency of more than one every 60m.</p> <p>29.5.24.4 The maximum number of access points from the collector road Type C identified on the Structure Plan to land located east of the road shall be two (2).</p> <p>29.5.24.5 The maximum number of access points from the collector road Type C identified on the Structure Plan to land located west of the road shall be one (1).</p>	<p>RD</p> <p>Discretion is restricted to effects on safety, efficiency, and amenity of the site and of the transport network, including the pedestrian and cycling environment.</p>
29.5.25	<p>Carparking and vehicle crossings within the Te Pūtahi Ladies Mile Zone</p> <p>29.5.25.1 Within the Medium Density Residential and High Density Residential Precincts, subdivision applications shall specify vehicle crossing locations in compliance with Rule 49.5.30. Where two adjoining allotments each have a width of 8.5m or less, the single vehicle crossings each is entitled to under Rule 49.5.30 (a 6.5m residential unit + 2 x 1m side yards = 8.5m allotment width) shall be combined.</p> <p>29.5.25.2 Common parking areas (including open areas or areas within a building at ground-level) that comprise more than two spaces must:</p> <ol style="list-style-type: none"> a. Incorporate 2m wide landscape planting areas at an interval of every four angle parking spaces and between nose-to-nose angle parking, and every three parallel parking spaces. 	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. Effects on safety, efficiency, and amenity of the site and of the transport network, including the pedestrian and cycling environment; and b. Effects on the amenity of the Zone when viewed from the street or private way that provides the function of a road.

	Table 29.3 –Standards for activities outside roads	Non-Compliance status															
29.5.25A	<p>a. All vehicular access to fee simple lots, cross lease, unit title or leased premises shall be in accordance with Table 3.2 (Road Design Standards) of the QLDC Land Development and Subdivision Code of Practice 2018, including the notes within Table 3.2 and Appendices E and F; except as provided for in 29.5.14b below.</p> <p>b. All shared private vehicular accesses in the Te Pūtahi Ladies Mile Zone, serving residential units in the High Density Residential Zone, Medium Density Residential Zone, Low Density Residential Zone shall comply with the following standards:</p> <p>(i)</p> <table border="1" data-bbox="344 604 1133 1917"> <thead> <tr> <th data-bbox="344 604 646 810">The greater of the actual number of units proposed to be serviced or the potential number of units able to be serviced by the permitted density</th> <th data-bbox="646 604 850 810">Formed Width (m)</th> <th data-bbox="850 604 1133 810">Minimum legal width (m)</th> </tr> </thead> <tbody> <tr> <td data-bbox="344 810 646 863">1 to 6</td> <td data-bbox="646 810 850 863">3.0</td> <td data-bbox="850 810 1133 863">4.0</td> </tr> <tr> <td data-bbox="344 863 646 915">7 to 12</td> <td data-bbox="646 863 850 915">5.5 – 5.7</td> <td data-bbox="850 863 1133 915">6.7</td> </tr> <tr> <td data-bbox="344 915 646 1121">Rear service lane (no pedestrian or public access including to any residential units' front door) serving up to 12 units</td> <td data-bbox="646 915 850 1121">7m</td> <td data-bbox="850 915 1133 1121">7m</td> </tr> <tr> <td data-bbox="344 1121 646 1917"> Rear service lane (no pedestrian or public access including to any residential units' front door) 13 or more units Information requirement: Proposals shall be accompanied by design information prepared by suitably qualified persons demonstrating that a vehicular speed environment of 30km/h or less will be achieved within the lane; that sufficient provision and space has been made to allow waste storage and collection (where this is to be provided from within the lane); and how the lane will </td> <td data-bbox="646 1121 850 1917">7.5m</td> <td data-bbox="850 1121 1133 1917">8.5m</td> </tr> </tbody> </table>	The greater of the actual number of units proposed to be serviced or the potential number of units able to be serviced by the permitted density	Formed Width (m)	Minimum legal width (m)	1 to 6	3.0	4.0	7 to 12	5.5 – 5.7	6.7	Rear service lane (no pedestrian or public access including to any residential units' front door) serving up to 12 units	7m	7m	Rear service lane (no pedestrian or public access including to any residential units' front door) 13 or more units Information requirement: Proposals shall be accompanied by design information prepared by suitably qualified persons demonstrating that a vehicular speed environment of 30km/h or less will be achieved within the lane; that sufficient provision and space has been made to allow waste storage and collection (where this is to be provided from within the lane); and how the lane will	7.5m	8.5m	<p>RD</p> <p>Discretion is restricted to:</p> <p>a. Effects, including positive urban design effects, on the safety, efficiency, and amenity of the site and of the transport network, including the pedestrian and cycling environment and provision for sufficient emergency access.</p> <p>b. The design of the access, including the width of the formed and legal width.</p> <p>c. The on-going management and maintenance of the access.</p> <p>d. The purpose and function of the private way, and if intended to be a means of public or pedestrian access to any residential units' front door, the provision of sufficient visual quality, landscape amenity and pedestrian-priority.</p> <p>e. The vesting of the access in Council.</p>
The greater of the actual number of units proposed to be serviced or the potential number of units able to be serviced by the permitted density	Formed Width (m)	Minimum legal width (m)															
1 to 6	3.0	4.0															
7 to 12	5.5 – 5.7	6.7															
Rear service lane (no pedestrian or public access including to any residential units' front door) serving up to 12 units	7m	7m															
Rear service lane (no pedestrian or public access including to any residential units' front door) 13 or more units Information requirement: Proposals shall be accompanied by design information prepared by suitably qualified persons demonstrating that a vehicular speed environment of 30km/h or less will be achieved within the lane; that sufficient provision and space has been made to allow waste storage and collection (where this is to be provided from within the lane); and how the lane will	7.5m	8.5m															

Table 29.3 –Standards for activities outside roads			Non-Compliance status
	not attract rat-running or similar inappropriate travel behaviour.		
	(ii) Except; <ul style="list-style-type: none"> i. where a shared vehicle access for 1 to 6 units adjoins a State Highway, arterial, or collector road, it shall have a formed width of 5.5m - 5.7m and a legal width of at least 6.7m for a minimum length of 6m, as measured from the legal road boundary. ii. To allow vehicles to pass, formed access widths for 1 to 6 units shall include widening to not less than 5.5 m over a 15m length at no more than 50 m spacing (measured from the end of one passing bay to the beginning of the next). iii. The above access width rules do not apply at the time of subdivision to any developments authorised and given effect to by a land -use consent as at the date these provisions are made operative. 		f. Any positive effects on achieving planned intensification and compact urban form.
	c. No private way or private vehicle access or shared access in any zone shall serve sites with a potential to accommodate more than 12 units on the site and adjoining sites, except as provided in this Rule.		
	d. Private shared vehicle accesses shall have legally enforceable arrangements for maintenance put in place at the time they are created.		
	e. All vehicle access design shall comply with Schedule 29.2.		
	f. The above access width rules do not apply to existing private shared vehicle accessways for the purpose of controlling the number of units that may be built using the accessways, unless the total land served by the accessway could provide for more than 12 units.		

...

Thresholds for new high traffic generating activities, including changes of use

Table 29.5			
	Activity	Development type	Threshold
...			
29.9.10	Development in the Te Pūtahi Ladies Mile Zone	Any building containing residential, commercial, retail, or educational facilities	For any residential development 10 residential units. Any other building containing commercial, retail, or educational facilities.

29.10 Minimum requirements for cycle parking, lockers and showers

Table 29.6				
	Activity	Customer/Visitor Short-Term Bicycle Parking	Private Long-Term Bicycle Parking. This is for the use of staff, students, and residents	End of trip facilities
...
29.10.7	Educational Facility – primary and secondary	1 visitor space per 50 students (capacity)	For Students, 1 per 5 pupils Year 5 and above (capacity) for primary and secondary schools. In addition, within the Te Pūtahi Ladies Mile Zone, for staff 1 bicycle space per 10 on-site workers	Nil, except that within the Te Pūtahi Ladies Mile Zone the following shall be provided: For students 1 locker per every space required. For staff, where 11-100 long-term bicycle parking spaces are required: 1 locker for every space required and 1 shower per every 10 spaces required. Where >100 long-term bicycle parking spaces required: 10 showers for the first 100 spaces required plus two showers for each additional 50 spaces required.
...				
29.10.13	Residential activity within the Te Pūtahi Ladies Mile Zone	1 per 20 residential units	1 per residential unit	Nil

29.10.14 The following advice note applies to all the provisions in Table 29.6 relating to minimum requirements for cycle parking, lockers, and showers:

29.10.15 In calculating the requirement, all development floor areas cited in the above table shall be rounded down. For example, an office space development of 150m² would require one Private Long-Term Bicycle Parking space and an office of 510m² would require four spaces.

29.10.16 Private Long Term Bicycle parking shall be secure and positioned within the site in order to be accessible from the street.

29.10.17 Cycle parking for residential activity in the Te Pūtahi Ladies Mile Zone can be located in a communal area, including within garaging or cycle storage sheds.

29.10.18 The following footnotes apply only where indicated in Table 29.6:

...

Signs

...

31.14 Rules – Activity Status of Signs in Special Zones

Table 31.14 – Activity Status of Signs in Special Zones		Jacks Point Zone outside of Village Activity Areas and residential Activity Areas	...	Te Pūtahi Ladies Mile Zone
31.14.1	Signs for commercial activities and community activities and Visitor Accommodation in the Commercial Precinct. Control is reserved to the matters set out in Rule 31.18.	C	...	C
31.14.2	Identification of a signage platform for a commercial activity or community activity Control is reserved to the matters set out in Rule 31.18.	C	...	C
31.14.3	Signs for visitor accommodation	D	...	D
31.14.4	Signs not associated with commercial activities, community activities or visitor accommodation	P	...	P
31.14.5	Any sign activity which is not listed in Table 31.4 or Rules 31.14.1 to 31.14.4 inclusive.	D	...	D

...

36 Noise

...

36.5 Rules – Standards

Table 2: General Standards

Rule Number	General Standards				Non-Compliance Status
	Zone sound is received in	Assessment location	Time	Noise Limits	
36.5.2	Any point within any site	0800h to 2000 h	50 dB L _{Aeq} (15 min)	NC
	Te Pūtahi Ladies Mile Zone – Low, Medium and High Density Residential Precincts		2000h to 0800 h	40 dB L _{Aeq} (15 min)	NC
36.5.6	Te Pūtahi Ladies Mile Zone – Commercial and Glenpanel Precincts	Any point within any other site in the Commercial and Glenpanel Precincts	0800h to 2000 h	60 dB L _{Aeq} (15 min)	NC
	Note: Sound from activities which is received in another zone or Precinct shall comply with the noise limits for that zone or Precinct.		2000h to 0800 h	50 dB L _{Aeq} (15 min)	
			2000h to 0800 h	75 dB L _{AFmax}	