

9 High Density Residential

9.1 Zone Purpose

The High Density Residential Zone provides for efficient use of land within close proximity to town centres and Arthurs Point that is easily accessible by public transport, cycle and walk ways. In conjunction with the Medium Density Residential Zone, the zone plays a key planning role in minimising urban sprawl and consolidating growth in existing urban areas.

In Queenstown, the High Density Residential zone enables taller buildings than in the other residential zones, subject to high design quality. In Wānaka, lower building heights are anticipated, accounting for its distinctive urban character, however relatively high densities are still achievable. Such development will result in a greater diversity of housing supply, help support the function and vibrancy of town centres, and reduce reliance on private transport. Over time, ~~low-rise~~ apartments and terraced housing are envisaged to become commonplace within the zone.

The High Density Residential Zone at Three Parks Wānaka provides for a distinctive urban character at the entranceway to Wānaka through taller buildings and landscaped areas adjacent to State Highway 84.

Development in the zone will facilitate effective non-vehicular connections and access to high quality public open space.

Development controls provide minimum protections for existing amenity values, and are otherwise prioritised towards enabling the community's wellbeing by promoting growth and development. Given the focus on intensification, moderate to substantial change is anticipated including to both public and private views as the character of land within the zone develops into one that is characteristically urban.

Small scale commercial activities are enabled, either to support larger residential developments, or to provide low impact local services.

Small scale community facilities are anticipated, given the need for community activities within residential areas. However, large scale community facilities are not anticipated as this will reduce the effectiveness of the zone at its primary purpose of accommodating housing.

Visitor accommodation, residential visitor accommodation and homestays are anticipated and enabled in this zone, which is located near the town centres and within Arthurs Point, to respond to projected growth in visitor numbers, provided that adverse effects on the residential amenity values of nearby residents is avoided, remedied or mitigated.

9.2 Objectives and Policies

9.2.1 Objective – High density housing development occurs in urban areas close to town centres, to provide greater housing diversity and respond to expected population growth.

Policies

9.2.1.1 Provide sufficient high density zoned land that enables diverse housing supply and visitor accommodation close to town centres.

PART 3 HIGH DENSITY RESIDENTIAL 9

9.2.1.2 Promote high density development close to town centres to reduce private vehicle movements, maximise walking, cycling and public transport patronage and reduce the need for capital expenditure on infrastructure.

9.2.2 Objective - High density residential development provides a positive contribution to the environment through quality urban design.

Policies

9.2.2.1 Require that development within the zone responds to its context, with a particular emphasis on the following essential built form outcomes:

- achieving high levels of visual interest and avoiding blank or unarticulated walls or facades;
- achieving well-overlooked, activated streets and public open spaces, including by not visually or spatially dominating street edges with garaging, parking or access ways;
- achieving a variation and modulation in building mass, including roof forms;
- use landscaped areas to provide permeable surface areas for stormwater disposal and to add to the visual amenity values of the development for on-site residents or visitors, neighbours, and the wider public; and
- providing a high level of amenity that meets the day-to-day needs of occupants.

9.2.2.2 Support greater building height where development is designed to achieve an exemplary standard of quality, including its environmental sustainability.

9.2.2.3 Promote a distinct streetscape for the Arthurs Point High Density Residential neighbourhood that is based upon a shared and integrated public realm.

9.2.2.4 Require consideration of the relevant design elements identified in the Residential Zone Design Guide 2023~~1~~.

9.2.3 Objective – High density residential development maintains a minimum level of existing amenity values for neighbouring sites as part of positively contributing to the urban amenity values sought within the zone.

Policies

9.2.3.1 Apply recession plane, building height, height setback at upper floors, yard setback and site coverage controls as the primary means of ensuring a minimum level of neighbours' outlook space, sunshine and light access, and privacy is provided for ~~will be maintained~~, while acknowledging that through an application for land use consent an outcome superior to that likely to result from strict compliance with the controls may well be identified.

9.2.3.2 ~~Ensure the amenity values of neighbours are adequately maintained.~~

9.2.3.2~~3~~ Ensure built form achieves privacy for occupants of the subject site and neighbouring residential sites and units, including through the use of building setbacks, offsetting habitable windows from one another, screening, or other means.

9.2.4 Objective – Small-scale community activities are provided for where they are best located in a residential environment close to residents.

PART 3 HIGH DENSITY RESIDENTIAL 9

Policies

9.2.4.1 Enable the establishment of small-scale community activities where adverse effects on residential amenity values such as noise, traffic and visual impact can be avoided or mitigated.

9.2.5 Objective – Commercial development is small-scale and generates minimal amenity value impacts.

Policies

9.2.5.1 Ensure that any commercial development is of low scale and intensity, and does not undermine the local transport network or availability of on-street vehicle parking for non-commercial use.

9.2.5.2 Ensure that any commercial development is of a design, scale and appearance compatible with its surrounding context.

9.2.6 Objective - High-density residential development will efficiently utilise existing infrastructure and minimise impacts on infrastructure and roading networks.

Policies

9.2.6.1 Require development to provide or enhance connections to public places and active transport networks (walkways, trails and cycleways) where appropriate.

9.2.6.2 Require development to provide facilities to encourage walking and cycling where appropriate.

9.2.6.3 Ensure access and parking is located and designed to optimise the connectivity, efficiency and safety of the district’s transport networks, including encouraging the consideration of a reduction in required car parking provision to where it can help be facilitate modal shift. ~~demonstrated that this is appropriate.~~

9.2.6.4 Require the site layout and design of development provides low impact approaches to stormwater management through providing permeable surface areas on site and the use of a variety of stormwater management measures.

9.2.6.5 A reduction in parking provision requirements may be is encouraged considered in Queenstown and Wānaka where a site is located within 800m of a bus stop or the edge of a Town Centre Zone.

9.2.7 Objective – Manage the development of land within noise affected environments to ensure mitigation of noise and reverse sensitivity effects.

9.2.7.1 Require as necessary all new and altered buildings for Activities Sensitive to Road Noise located close to any State Highway to be designed to provide protection from sleep disturbance and to otherwise maintain reasonable amenity values for occupants.

9.2.8 Objective – Visitor accommodation, residential visitor accommodation and homestays are enabled in urban areas close to town centres to respond to strong projected growth in visitor numbers, whilst ensuring that adverse effects on residential amenity values and traffic safety are avoided, remedied or mitigated.

9.2.8.1 Provide sufficient high density zoned land to enable a range of accommodation options for visitors to establish close to town centres.

PART 3 HIGH DENSITY RESIDENTIAL 9

- 9.2.8.2 Enable a range of accommodation options which positively contribute to residential amenity values by ensuring that adverse effects on residential amenity values are avoided, remedied or mitigated.
- 9.2.8.3 Ensure that visitor accommodation development utilises existing infrastructure and minimise impacts on infrastructure and roading networks.
- 9.2.8.4 Ensure that the design of buildings for visitor accommodation contributes positively to the visual quality of the environment through the use of connection to the street, interesting built forms, landscaping, and response to site context.
- 9.2.9 Objective – High quality residential development of the land on the northern side of State Highway 6 at Frankton, that is integrated with a primary road that connects State Highway 6 at Hawthorne Drive to Quail Rise, pedestrian and cycle access, and appropriate servicing.**
- 9.2.9.1 Ensure subdivision and development at Frankton North is undertaken in accordance with the Frankton North Structure Plan (Schedule 27.13.9) to promote integration and provision of access to and throughout Frankton North.
- 9.2.9.2 Ensure safe transport connections by:
- a. avoiding any new access to State Highway 6;
 - b. limiting new access to the land at Frankton North to: Hawthorne Drive/SH6 roundabout, Hansen Road and Ferry Hill Drive;
 - c. providing the primary road connection between State Highway 6 at Hawthorne Drive and Quail Rise;
 - d. providing access to the primary road connection from all sites within Frankton North; and
 - e. providing internal road, pedestrian and cycle connections that are of a form that accounts for long-term traffic demand for the area between Hansen Road and Ferry Hill Drive without the need for subsequent retrofitting or upgrade.
 - f. ensuring that road frontages are not dominated by vehicular access and parking; and
 - g. integrating with the pedestrian and cycle path and the road network and public transport routes on the southern side of State Highway 6, including pedestrian and cycle access across State Highway 6.
- 9.2.9.3 Encourage low impact stormwater design that utilises on-site treatment and storage I dispersal approaches.
- 9.2.9.4 Avoid the impacts of stormwater discharges on the State Highway network.

Note: Attention is drawn to the need to consult with the New Zealand Transport Agency (NZTA) prior to determining an internal and external road network design under these policies.

Note: Attention is drawn to the need to obtain a Section 93 notice from the NZ Transport Agency for all subdivisions on adjoining State Highways which are declared Limited Access Roads. The NZ Transport Agency should be consulted and a request made for a notice under Section 93 of the Government Roding Powers Act 1989.

PART 3 HIGH DENSITY RESIDENTIAL 9

9.2.10 Objective – The High Density Residential Zone at Three Parks Wānaka contributes to a quality environment at the entranceway to Wānaka.

9.2.10.1 Avoid buildings within the Building Restriction Area so as to:

- a. minimise adverse effects of road noise on residential amenity; and
- b. ensure the land adjacent to State Highway 84 be landscaped so as to provide a high amenity sense of arrival into Wānaka.

9.3 Other Provisions and Rules

9.3.1 District Wide

Attention is drawn to the following District Wide chapters.

1 Introduction	2 Definitions	3 Strategic Direction
4 Urban Development	5 Tangata Whenua	6 Landscapes and Rural Character
25 Earthworks	26 Historic Heritage	27 Subdivision
28 Natural Hazards	29 Transport	30 Energy and Utilities
31 Signs	32 Protected Trees	33 Indigenous Vegetation
34 Wilding Exotic Trees	35 Temporary Activities and Relocated Buildings	36 Noise
37 Designations	District Plan web mapping application	

9.3.2 Interpreting and Applying the Rules

9.3.2.1 A permitted activity must comply with all the rules listed in the Activity and Standards tables, and any relevant district wide rules, otherwise a resource consent will be required.

9.3.2.2 Where an activity does not comply with a Standard listed in the Standards tables, the activity status identified by the ‘Non- Compliance Status’ column shall apply.

9.3.2.3 Where an activity breaches more than one Standard, the most restrictive status shall apply to the Activity.

9.3.2.4 Each residential unit may include a single residential flat and any other accessory buildings.

9.3.2.5 The status of any Plantation Forestry will be determined by the Resource Management (National Environmental Standards for Plantation Forestry) Regulations 2017.

9.3.2.6 The following abbreviations are used within this Chapter.

PART 3 HIGH DENSITY RESIDENTIAL 9

P	Permitted	C	Controlled
RD	Restricted Discretionary	D	Discretionary
NC	Non Complying	PR	Prohibited

9.3.2.6A Compliance with the New Zealand Electrical Code of Practice for Electrical Safe Distances ("NZECP34:2001") is mandatory under the Electricity Act 1992. All activities, such as buildings, earthworks and conductive fences regulated by NZECP34: 2001, including any activities that are otherwise permitted by the District Plan must comply with this legislation. Chapter 30 Energy and Utilities part 30.3.3.2.c has additional information in relation to activities and obligations under NZECP34:2001.

9.4 Rules - Activities

	Activities located in the High Density Residential Zone	Activity status
9.4.1	<p>Commercial activities comprising no more than 100m² of gross floor area</p> <p>At 158, 164, 170 and 172 Arthurs Point Road, Commercial Activities comprising between 101m² and 200m² gross floor area.</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Economic impact on the Queenstown town centre; b. Effects on residential amenity; c. Hours of operation; d. Traffic generation and access; e. Location, design, scale and appearance. 	<p>P</p> <p>RD</p>
9.4.2	Home Occupation	P
9.4.3	Residential Unit comprising three (3) or less per site	P
9.4.4	Residential Visitor Accommodation and Homestays	P
9.4.5	<p>Residential Unit comprising four (4) or more per site</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. <u>whether the built form provides a high level of residential amenity for occupants of the subject site and neighbouring properties, through consideration of:</u> <ul style="list-style-type: none"> i. <u>provision for outlook, sunlight and privacy through the site layout, orientation and internal layout of residential units;</u> ii. <u>directly connects any private outdoor spaces to the living spaces within the residential units;</u> 	RD

	Activities located in the High Density Residential Zone	Activity status
	<ul style="list-style-type: none"> iii. <u>ensures any communal private open spaces are accessible, usable and attractive for the residents of the residential units;</u> iv. <u>ensures a balance between privacy and passive surveillance of public spaces, and communal spaces within the site, including surveillance from ground floor level, is achieved;</u> v. <u>includes tree and garden planting particularly relating to the street frontage, outlook areas, boundaries, access ways, common spaces, and parking areas.</u> b. location, external appearance, site layout and design of buildings and fences and how the development addresses its context to contribute positively to the character of the area; c. building dominance and sunlight access relative to neighbouring properties and public spaces including roads; d. how the design advances housing diversity, <u>including through providing a range of unit sizes and typologies;</u> e. and <u>how the design</u> promotes sustainability either through construction methods, design or function; privacy for occupants of the subject site and neighbouring sites; street activation; f. parking and access layout: safety, efficiency and impacts on on-street parking and neighbours; g. design and integration of landscaping; h. <u>capacity of existing or planned infrastructure/servicing;</u> i. <u>low impact stormwater design;</u> j. <u>waste and recycling storage space and collection;</u> k. where a site is subject to any natural hazard and the proposal results in an increase in gross floor area: <ul style="list-style-type: none"> a. the nature and degree of risk the hazard(s) pose to people and property; b. whether the proposal will alter the risk to any site; and c. the extent to which such risk can be avoided or sufficiently mitigated. l. The location, size, access, design and screening of waste and recycling storage space; and m. Consistency with the Residential Zone Design Guide 20234. 	

	Activities located in the High Density Residential Zone	Activity status
	n. Where Electricity Sub-transmission Infrastructure or Significant Electricity Distribution Infrastructure as shown on the District Plan web mapping application is located within the adjacent road and any proposed building is located within 9.5 meters of that road boundary, any adverse effects on that infrastructure.	
9.4.6	<p>Visitor Accommodation including licensed premises within a visitor accommodation development</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. The location, nature and scale of activities; b. Parking and access; c. Landscaping; d. Noise; e. Hours of operation, including in respect of ancillary activities; and f. The external appearance of buildings. 	RD
9.4.7	Commercial recreation	D
9.4.8	Community activities	D
9.4.9	Retirement village	D
9.4.10	Activities which are not listed in this table	NC
9.4.11	Commercial activities not otherwise identified	NC
9.4.12	Panel beating, spray painting, motor vehicle repair or dismantling, fibre glassing, sheet metal work, bottle or scrap storage, motor body building.	PR
9.4.13	Manufacturing and/or product assembling activities	PR
9.4.14	Mining	PR
9.4.15	Factory Farming	PR
9.4.16	Fish or meat processing	PR
9.4.17	Forestry activities, except for Plantation Forestry where the Resource Management (National Environmental Standard for Plantation Forestry) Regulation 2017 prevails.	PR
9.4.18	Any activity requiring an Offensive Trade License under the Health Act 1956	PR

PART 3

HIGH DENSITY RESIDENTIAL 9

	Activities located in the High Density Residential Zone	Activity status
9.4.19	Airports other than the use of land and water for emergency landings, rescues and fire fighting	PR
9.4.20	Bulk material storage	PR

9.5A Rules – Standards for Restricted Discretionary and Discretionary Activities under Rules 9.4 and 9.5

	Standards for activities in the High Density Residential Zone	Non-compliance status
9.5A.1	For all restricted discretionary and discretionary activities under Rules 9.4 and 9.5, applications for resource consent shall include a statement confirming that the relevant design elements from the Residential Zone Design Guide 2023 4 have been considered, including a summary of any particular aspects of the proposal that have resulted from that consideration.	NC

9.5 Rules – Standards

	Standards for activities located in the High Density Residential Zone	Non-compliance status
9.5.1	<p>Building Height – Flat Sites in Queenstown</p> <p>9.5.1.1 A height of 16.52 metres, <u>including at Frankton North</u>, except where specified in Rules 9.5.1.2, 9.5.1.3 or 9.5.1.4.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> building design and appearance, including roof form articulation and the avoidance of large, monolithic building forms; building dominance and sunlight access relative to neighbouring properties and public spaces including roads; how the design advances housing diversity, <u>including size and typology</u>; and promotion of es sustainability either through construction methods, design or function;

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	<p>9.5.1.2 In the High Density Residential Zone immediately west of the Kawarau Falls Bridge the maximum building height shall be 10m provided that in addition no building shall protrude above a horizontal line orientated due north commencing 7m above any given point along the required boundary setbacks at the southern zone boundary.</p> <p>9.5.1.3 Within the area specified on the District Plan web mapping application on the south side of Frankton Road (SH6A), the highest point of any building shall not exceed the height above sea level of the nearest point of the road carriageway centreline.</p> <p>9.5.1.4 Maximum building height of 15m. <u>In Wānaka the maximum building height shall be 12m.</u></p> <p>9.5.1.5 Rules 9.5.1.1 to 9.5.1.4 do not apply to the land at Frankton North. <u>the maximum building height shall be 20m.</u></p>	<p>e. <u>privacy and outlook</u> for occupants of the subject site and neighbouring sites;</p> <p>f. effects on significant public views (based on an assessment of public views undertaken at the time of the proposal, in addition to any specified significant public views identified within the District Plan);</p> <p>g. the positive effects of enabling additional development intensity within close proximity to town centres.</p> <p>D</p> <p>D</p> <p><u>D</u></p> <p><u>NC</u></p>
<p>9.5.2</p>	<p>Building Height – Flat Sites in Wānaka</p>	<p>RD</p> <p>Discretion is restricted to:</p> <p>a. building design and appearance, including roof form articulation and the</p>

PART 3

HIGH DENSITY RESIDENTIAL 9

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	<p>9.5.1.6 A height of 8m except where specified in Rule 9.5.2.2 and 9.5.2.3.</p> <p>9.5.1.7 Maximum building height of 10m.</p> <p>In Three Parks Wānaka the maximum building height shall be 12m</p>	<p>avoidance of large, monolithic building forms;</p> <p>b. building dominance and sunlight access relative to neighbouring properties and public spaces including roads;</p> <p>c. how the design advances housing diversity and promotes sustainability either through construction methods, design or function;</p> <p>d. privacy for occupants of the subject site and neighbouring sites;</p> <p>e. effects on significant public views, in particular from Lismore Park (based on an assessment of public views undertaken at the time of the proposal, in addition to any specified significant public views identified within the District Plan);</p> <p>f. the positive effects of enabling additional development intensity within close proximity to town centres.</p> <p>⌀</p>
<p>9.5.3</p>	<p>Building Height – Sloping Sites in Queenstown and Wānaka</p> <p>9.5.1.8 A height of 7m, except as specified in Rules 9.5.3.2, 9.5.3.3 and 9.5.3.4</p>	<p>RD</p> <p>Discretion is restricted to:</p> <p>a. building design and appearance, including roof form articulation and the avoidance of large, monolithic building forms;</p> <p>b. building dominance and sunlight access relative to neighbouring properties and public spaces including roads;</p> <p>c. how the design advances housing diversity and promotes sustainability either through construction methods, design or function;</p> <p>d. how the design responds to the sloping landform so as to integrate with it;</p> <p>e. privacy for occupants of the subject site and neighbouring sites;</p>

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	<p>9.5.1.9 Immediately west of the Kawarau Falls Bridge the maximum building height shall be 10m provided that in addition no building shall protrude above a horizontal line orientated due north commencing 7m above any given point along the required boundary setbacks at the southern zone boundary.</p> <p>9.5.1.10 Within the area specified on the District Plan web mapping application on the south side of Frankton Road (SH6A), the highest point of any building shall not exceed the height above sea level of the nearest point of the road carriageway centreline</p> <p>9.5.1.11 Maximum building height of 10m.</p> <p>9.5.1.12 Rules 9.5.3.1 to 9.5.3.4 do not apply to the land at Frankton North.</p>	<p>f. effects on significant public views, in particular from Lismore Park (based on an assessment of public views undertaken at the time of the proposal, in addition to any specified significant public views identified within the District Plan);</p> <p>g. the positive effects of enabling additional development intensity within close proximity to town centres.</p> <p>D</p> <p>D</p> <p>D</p>
<p>9.4.4</p>	<p>Building Height Frankton North</p> <p>9.5.1.13 Building height of 12m.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <p>a. building design and appearance, including roof form articulation and the avoidance of large, monolithic building forms;</p> <p>b. building dominance and sunlight access relative to neighbouring properties and public spaces including roads;</p> <p>c. how the design advances housing diversity and promotes sustainability</p>

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	<p>9.5.1.14 Maximum building height of 20m.</p>	<p>either through construction methods, design or function;</p> <p>d. privacy and outlook for occupants of the subject site and neighbouring sites;</p> <p>e. Crime Prevention Through Environmental Design considerations;</p> <p>f. the positive effects of enabling additional development intensity within close proximity to town centres;</p> <p>NC</p>
<p>9.5.25</p>	<p>Building Coverage</p> <p>9.5.52.1 A maximum of 70% site coverage</p> <p>9.5.52.2 Within Frankton North a maximum of 75% building coverage.</p> <p>Exclusions:</p> <p>g. building coverage does not include any veranda over public space and does not apply to underground structures, which are not visible from ground level and which are landscaped to appear as recreational or planted (including grassed) areas.</p>	<p>NC</p>
<p>9.5.36</p>	<p>Recession plane (applicable to all buildings, including accessory buildings)</p> <p>9.5.36.1 For Flat Sites from 82.5 metres above ground level a 60 45 degree recession plane applies to all boundaries, other than the northern southern boundary of the site where a 45 55 degree recession plane applies.</p>	<p>RD – for boundaries where the High Density Residential zone applies on each side of the boundary.</p> <p>Discretion is restricted to:</p> <p>a. any sunlight, shading or privacy effects created by the proposal on adjacent sites and/or their occupants;</p> <p>b. effects on any significant public views (based on an assessment of public views undertaken at the time of the</p>

PART 3

HIGH DENSITY RESIDENTIAL 9

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	<p>Exclusions:</p> <p>a. gable end roofs may penetrate the building recession plane by no more than one third of the gable height;</p> <p>b. recession planes do not apply to site boundaries adjoining a Town Centre Zone, <u>Business Mixed Use Zone</u>, fronting a road, or adjoining a park or reserve.</p> <p style="text-align: center;">No recession plane for sloping sites</p> <p>9.5.36.2 Rules 9.5.6.1 and 9.5.6.2.3.1 <u>does</u> not apply at Frankton North.</p> <p>9.5.36.3 At Frankton North all buildings, including accessory buildings, along the northern boundary of the zone where it adjoins the Rural Zone, Open Space Zone and Quail Rise Special Zone: For flat and sloping sites from 3 metres above ground a 45 degree recession plane applies.</p>	<p>proposal, in addition to any specified significant public views identified within the District Plan);</p> <p>c. external appearance, location and visual dominance of the building(s) as viewed from the street(s) and adjacent properties.</p> <p>d. Where Electricity Sub-transmission Infrastructure or Significant Electricity Distribution Infrastructure as shown on the District Plan web mapping application is located within the adjacent road and any proposed building is located within 9.5 meters of that road boundary, any adverse effects on that infrastructure.</p> <p>NC – for boundaries where there is a change of zone other than as specified in the exclusions.</p>
<p><u>9.5.74</u></p>	<p>Landscaped permeable surface coverage</p> <p>At least 20% of site area shall comprise landscaped (permeable) surface.</p>	<p>NC</p>
<p><u>9.5.85</u></p>	<p>Building Length</p> <p>The length of any building facade above the ground floor level shall not exceed 30m.</p> <p>Rule 9.5.8 does not apply at Frankton North.</p>	<p>RD</p> <p>Discretion is restricted to the following:</p> <p>a. external appearance, location and visual dominance of the building(s) as viewed from the street(s) and adjacent properties.</p>
<p><u>9.5.96</u></p>	<p>Minimum Boundary Setbacks</p> <p>9.5.96.1 All boundaries <u>1.52</u> metres except for State Highway road boundaries where the minimum setback shall be 4.5m.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <p>a. external appearance, location and visual dominance of the building(s) as viewed from the street(s) and adjacent properties;</p> <p>b. streetscape character and amenity;</p>

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	<p>9.5.96.2 Garages shall be at least 4.5m back from a road boundary.</p> <p>9.5.96.3 Rules 9.5.69.1 and 9.5.69.2 do not apply at Frankton North.</p> <p>Exceptions to setback requirements other than any road boundary setbacks:</p> <p>Accessory buildings for residential activities may be located within the setback distances, where they do not exceed 7.5m in length, there are no windows or openings (other than for carports) along any walls within 1.5m of an internal boundary, and comply with rules for Building Height and Recession Plane.</p>	<p>c. any sunlight, shading or privacy effects created by the proposal on adjacent sites and/or their occupants;</p> <p>d. effects on any significant public views (based on an assessment of public views undertaken at the time of the proposal, in addition to any specified significant public views identified within the District Plan).</p> <p>e. Where Electricity Sub-transmission Infrastructure or Significant Electricity Distribution Infrastructure as shown on the District Plan web mapping application is located within the adjacent road and any proposed building is located within 9.5 meters of that road boundary, any adverse effects on that infrastructure.</p>
<p><u>9.5.7</u></p>	<p><u>Building height setback at upper floors</u></p> <p>9.5.7.1 <u>An additional 2 metre setback from all boundaries, in addition to the required minimum boundary setbacks in 9.5.6, shall apply to the area of buildings that exceed a height of 10m from the ground level.</u></p> <p>9.5.7.2 <u>Rule 9.5.7.1 does not apply at Frankton North.</u></p>	<p><u>RD</u></p> <p><u>Discretion is restricted to:</u></p> <p>a. <u>external appearance and visual dominance of the building(s) as viewed from the street(s) and adjacent properties;</u></p> <p>b. <u>streetscape character and amenity;</u></p> <p>c. <u>any sunlight or shading effects created by the proposal on adjacent sites and/or their occupants.</u></p>
<p><u>9.5.8</u></p>	<p><u>Outlook Space (per unit)</u></p> <p><u>The minimum dimensions for the required outlook space for each residential or visitor accommodation unit are as follow:</u></p> <p>a. <u>A principal living room/space must have an outlook space with a minimum dimension of 4m in depth and 4m in width; and</u></p> <p>b. <u>All other habitable rooms must have an outlook space with a minimum dimension of 1m in depth and 1m in width.</u></p>	<p><u>RD</u></p> <p><u>Discretion is restricted to:</u></p> <p>a. <u>Effects on amenity values for future occupants of buildings on the site;</u></p> <p>b. <u>The extent to which the breach is necessarily to enable the provision of housing diversity and options for smaller units on the site.</u></p>

	Standards for activities located in the High Density Residential Zone	Non-compliance status
<p>9.5.910</p>	<p>Waste and Recycling Storage Space</p> <p>9.5.910.1 Residential activities of three units or less shall provide, a minimum of 2m² waste and recycling storage per residential unit or flat.</p> <p>9.5.910.2 Waste and recycling bins shall be:</p> <ul style="list-style-type: none"> a. Located where it is easy to manoeuvre for kerbside collections and avoid impeding vehicle movements within and through the site; and b. Not directly visible from adjacent sites, roads and public spaces; or c. Screened with materials that are in keeping with the design of the building. 	<p>RD</p> <p>Discretion is restricted to:</p> <ul style="list-style-type: none"> a. Effects on amenity values; b. Size, location and access of waste and recycling storage space; and c. Consistency with the Residential Zone Design Guide <u>2023</u>.
<p>9.5.104</p>	<p>Lighting and Glare</p> <p>9.5.104.1 All exterior lighting shall be directed downward and away from adjacent sites and roads.</p> <p>9.5.104.2 No activity on any site shall result in greater than a 3.0 lux spill (horizontal or vertical) of lights onto any other site measured at any point inside the boundary of the other site.</p>	<p>RD</p> <p>Discretion is restricted to the effects of lighting and glare on:</p> <ul style="list-style-type: none"> a. amenity values of adjoining sites; b. the safety of the Transport Network; c. the night sky; and d. the navigational safety of passenger carrying vessels operating at night.
<p>9.5.112</p>	<p>Sound Insulation and Mechanical Ventilation</p> <p>For buildings located within 80m of a State Highway.</p> <p>Any residential buildings, or buildings containing an Activity Sensitive to Road Noise, and located within 80m of a State Highway shall be designed to achieve an Indoor Design Sound Level of 40dB LAeq24h.</p> <p>Compliance with this rule can be demonstrated by submitting a certificate to Council from a person suitably qualified in acoustics stating that</p>	<p>NC</p>

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	the proposed construction will achieve the internal design sound level.	
9.5.123	<p>Building Restriction Area</p> <p>No building shall be located within a building restriction area as identified on the District Plan web mapping application.</p>	NC
9.5.134	<p>Flood Risk</p> <p>The construction or relocation of buildings with a gross floor area greater than 20m² and having a ground floor level less than:</p> <p style="padding-left: 40px;">9.5.134.1 RL 312.0 masl at Queenstown and Frankton.</p> <p style="padding-left: 40px;">9.5.134.2 RL 281.9 masl at Wānaka.</p>	PR
9.5.145	<p>Residential Visitor Accommodation where:</p> <p style="padding-left: 40px;">9.5.145.1 The total nights of occupation by paying guests on a site do not exceed a cumulative total of 90 nights per annum from the date of initial registration.</p> <p style="padding-left: 40px;">9.5.145.2 The number of guests must not exceed 2 adults per bedroom and the total number of adults and children must not exceed:</p> <ul style="list-style-type: none"> • 3 in a one-bedroom residential unit; • 6 in a two-bedroom residential unit; and • 9 in a three-bedroom or more residential unit. <p style="padding-left: 40px;">9.5.145.3 No vehicle movements by a passenger service vehicle capable of carrying more than 12 people are generated.</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. The location, nature and scale of activities; b. Vehicle access and parking; c. Privacy and overlooking; d. Outdoor lighting; e. The management of noise, rubbish, recycling and outdoor activities; f. Guest management and complaints procedures; g. The keeping of records of the Residential Visitor Accommodation use, and availability of records for Council inspection; and h. Monitoring requirements, including imposition of an annual monitoring charge.

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	<p>9.5.145.4 The activity is registered with Council prior to commencement.</p> <p>9.5.145.5 Up to date records of the Residential Visitor Accommodation activity must be kept including a record of the date and duration of guest stays and the number of guests staying per night, and in a form that can be made available for inspection by Council with 24 hours' notice.</p> <p>Note: The Council may request that records are made available to the Council for inspection at 24 hours' notice, in order to monitor compliance with rules 9.5.145.1 to 9.5.145.5.</p>	
9.5.156	<p>Homestay</p> <p>9.5.156.1 The total number of paying guests on a site does not exceed five per night.</p> <p>9.5.156.2 No vehicle movements by a passenger service vehicle capable of carrying more than 12 people are generated.</p> <p>9.5.156.3 Council is notified in writing prior to the commencement of a Homestay activity.</p> <p>9.5.156.4 Up to date records of the Homestay activity are kept, including a record of the number of guests staying per night, and in a form that can be made available for inspection by the Council at 24 hours' notice.</p> <p>Note: The Council may request that records are made available to the Council for inspection</p>	<p>RD</p> <p>Discretion is restricted to:</p> <ol style="list-style-type: none"> a. The location, nature and scale of activities; b. Privacy and overlooking; c. The management of noise, rubbish, recycling and outdoor activities; d. The keeping of records of Homestay use, and availability of records for Council inspection; and e. Monitoring requirements, including imposition of an annual monitoring charge; and f. Vehicle access and parking.

	Standards for activities located in the High Density Residential Zone	Non-compliance status
	at 24 hours' notice, in order to monitor compliance with rules 9.5. 156 .1 to 9.5. 156 .4.	
9.5.167	<p>Development on land at Frankton North shall be undertaken in accordance with the Frankton North Structure Plan (Schedule 27.13.9), including:</p> <ul style="list-style-type: none"> c. Providing for a primary road that links State Highway 6 to Quail Rise; d. Providing for internal connections from the primary road that ensure vehicle access to all sites; e. Precluding any new vehicular access to the State Highway network; and f. Providing for a pedestrian and cycle path along the boundary with State Highway 6. This is intended to provide a minimum path width of 2.5 metres, within the existing State Highway corridor, or where there is insufficient land within the State Highway corridor, within adjacent private land. 	NC

9.6 Rules - Non-Notification of Applications

9.6.1 The following Restricted Discretionary activities shall not require the written approval of affected persons and shall not be notified or limited notified except where vehicle crossing or right of way access on or off a State Highway is sought:

9.6.1.1 Residential development involving the development of 4 or more residential units where the standards in Rule 9.5 are complied with.

9.6.1.2 Building Heights between 16.52m and 20m at Frankton North as identified in Rule 9.5.4.1.1.

9.6.2 The following Restricted Discretionary activities will not be publicly notified but notice will be served on those persons considered to be adversely affected if those persons have not given their written approval:

9.6.2.1 Restricted Discretionary building height setback at upper floors, building height (except at Frankton North as identified in Rule 9.6.1.2) and recession plane contraventions.

9.6.2.2 Boundary setback contraventions of up to 0.6m into the required setback depth of the yard (for unlimited length of the boundary).

9.6.2.3 Visitor accommodation and residential visitor accommodation.

PART 3

HIGH DENSITY RESIDENTIAL 9

- 9.6.2.4 Where the matters of discretion include effects on the Electricity Sub-transmission Infrastructure or Significant Electricity Distribution Infrastructure, Council will give specific consideration to Aurora Energy Limited as an affected person for the purposes of section 95E of the Act.