Appendix A – Relief sought

Provi	sion (PDP decision version)	Reason for appeal	Relief sought
Chap	ter 24 Wakatipu Basin		
Rule	24.5.7 Height of buildings	Oppose	Amend Rule 24.5.7 Height of buildings:
Rule be 6n	24.5.7.1 The maximum height of buildings shall n.	A maximum building height of 8m as a restricted discretionary activity is appropriate in the Basin.	Rule 24.5.7.1 The maximum height of buildings shall be 68m.
[non-compliance: RD]		There are circumstances where higher buildings are	[non-compliance: RD]
Rule be 8n	24.5.7.2 The maximum height of buildings shall n.	appropriate and lead to positive design and landscape outcomes. Allowing for an 8m height limit	Rule 24.5.7.2 The maximum height of buildings shall be 8m.
[non-d	compliance: NC]	as a restricted discretionary activity provides for flexible planning and promotes positive design outcomes where a taller building is appropriate.	[non-compliance: NC]
Rule	24.5.8 Setback from roads	Oppose	Amend Rule 24.5.8 – Setback from roads
The minimum setback of any building from road boundaries shall be 75m in the Precinct and 20m elsewhere in the Rural Amenity Zone.		A 75m setback from roads in the Precinct is unworkable for the majority of lots in existence and thus creates an arbitrary standard that cannot be complied with.	The minimum setback of any building from road boundaries shall be 7510m in the Precinct and 20n elsewhere in the Rural Amenity Zone.
[non-compliance: RD]			[non-compliance: RD]
Discretion is restricted to:			
a. Bu	ilding location, character, scale and form;		
b. External appearance including materials and colours;			
c. Lar	ndscaping/planting (existing and proposed).		
Rule 24.5.13 Farm Buildings		Oppose	Amend Rule 24.5.13 Farm Buildings
Farn	n buildings	A maximum gross floor area of 50m ² is unreasonably limited. A maximum of 150m ² better provides for farming activities while maintaining landscape character and amenity values.	Farm buildings
a. b.	The maximum gross floor area of any farm building shall be 50m². All exterior surfaces shall be coloured in the range of black, browns, greens or		 a. The maximum gross floor area of any farm building shall be <u>1</u>50m². b. All exterior surfaces shall be coloured in the range of black, browns, greens or

Provision (PDP decision version)	Reason for appeal	Relief sought
greys (except soffits). c. Pre-painted steel and all roofs shall have a reflectance value not greater than 20%. d. All other surface finishes shall have a reflectance value of not greater than 30%. [non-compliance: RD] Discretion is restricted to: a. Building location, character, scale and form; b. External appearance including materials and colours; and c. Landform modification/planting (existing and prepaged)		greys (except soffits). c. Pre-painted steel and all roofs shall have a reflectance value not greater than 20%. d. All other surface finishes shall have a reflectance value of not greater than 30%. [non-compliance: RD]
proposed). Schedule 24.8 Landscape Character Units	Oppose	Amend Schedule 24.8 LCU 24 as follows:
Landscape Character Unit 24: Arrowtown South	As currently drafted the description of LCU 24 does not accurately reflect the character of the area.	1. On page 24-66 under 'Sense of Place', delete the second paragraph:
	The second paragraph under 'Sense of Place' is opposed. Whilst the Arrowtown Lifestyle Retirement Village SHA is of a density and design similar to urban development, the idea that the Village compromises the greenbelt effect of the wider LCU 24 around Arrowtown is opposed.	However, this 'greenbelt' effect, together with the legibility of the escarpment as a robust defensible edge to Arrowtown has been significantly compromised by the Arrowtown Lifestyle Retirement Village SHA which confers a distinctly urban character in a prominent and sizeable part of the unit.
	The Queenstown Country Club is not within LCU 24 so this is likely to be an error which should instead refer to the Arrowtown Lifestyle Retirement Village.	2. On page 24-67 under 'Potential landscape opportunities and benefits associated with additional development': Delete reference to Queenstown Country Club' and replace with 'Arrowtown Lifestyle Retirement Village'.
Chapter 27 Subdivision		

27.6 rules - Standards for Minimum Lot Areas

27.6.1 No lots to be created by subdivision, including balance lots, shall have a net site area or where specified, an average net site area less than the minimum specified.

Zone		Minimum Lot Area
Rural	Wakatipu Basin Rural Amenity Zone	80ha
	Wakatipu Basin Lifestyle Precinct	6000m ² 1.0ha minimum average

Oppose

The minimum lot area approach is opposed in the first instance and a discretionary subdivision regime with no minimum lot sizes is preferred.

In the alternative, it is considered appropriate to have no minimum lot size in the WBRAZ, in accordance with the approach taken for the Rural Zone and Gibbston Character Zone.

The 80ha minimum lot size in the WBRAZ is an illogical and arbitrary value that is not representative of existing landholdings in the Wakatipu Basin, which will not be able to be reasonably enforced, and which will unreasonably limit appropriate development.

In the WBLP an <u>average</u> density approach is proposed (should rule 27.6.1 not be deleted), with 4000m^2 as the average minimum. This minimum is appropriate for the WBLP as it reflects existing land use and provides for an appropriate degree of limited further development, which can be regulated by the standards proposed in Chapter 24 to maintain landscape character and amenity values.

An <u>average</u> minimum as opposed to a minimum lot size allows for flexible design-led and innovative patterns of subdivision and development which leads to optimal landscape outcomes and better utilisation of land.

1. Delete Rule 27.6.1 (as it relates to the Wakatipu Basin) and replace with a discretionary subdivision regime.

In the alternative

2. Amend 27.6 rules - Standards for Minimum Lot Areas

27.6.1 No lots to be created by subdivision, including balance lots, shall have a net site area or where specified, an average net site area less than the minimum specified.

Zone		Minimum Lot Area
Rural Wakatip u Basin	Wakatipu Basin Rural Amenity Zone	No minimum 80ha
	Wakatipu Basin Lifestyle Precinct	6000m ² 4000m ² minimum <u>average</u> 1.0ha minimum average

Provision (PDP decision version)	Reason for appeal	Relief sought					
Planning Maps							
Planning Maps 13d and 26	Oppose Zoning of the McDonnell and Lake Hayes Land and LCUs 24 and 13 as Wakatipu Basin Rural Amenity Zone is opposed as this zoning does not reflect the actual established character of these areas as rural residential in nature, and fails to recognise the capacity of the areas to absorb further appropriate development. It inappropriately limits the building rights of the landholder and does not recognise the social, cultural and economic benefits of rural living development.	 Rezone the McDonnell Land legally described as Lot 3 DP 506191 and the entirety of LCU 24 to WBLP with a minimum lot density of 4000m². Rezone the Lake Hayes Land legally described as Lot 1 DP 358538 and the entirety of LCU 13 to Rural Residential Zone as notified in Stage 1. 					